

David Parker FRS

Publications by theme (1979-2018)

- A. Chirality and catalysis
- B. Electroactive materials and sensors
- C. Targeting complexes *in vivo*
- D. Macrocyclic and heterocyclic chemistry
- E. Rare earth coordination chemistry

A. Chirality and Catalysis

1. Synthesis of *trans*-4,5-bis(diphenylarsinomethyl)-2,2-dimethyldioxolan and an improved preparation of its phosphine analogue, *Synthesis*, (1979) **5**, 350-351 (with B.A. Murrer, J.M. Brown, P.A. Chaloner and P.N. Nicholson).
2. Rational approaches to asymmetric hydrogenation, *Am. Chem. Soc. Symp. Ser.*, (1980) **119**, 169-195 (with J.M. Brown, P.A. Chaloner and B.A. Murrer).
3. Intermediates in the asymmetric hydrogenation of $\alpha\beta$ -unsaturated carboxylic acids, *J. Chem. Soc., Chem. Commun.*, (1980) 342-344 (with J.M. Brown).
4. Further studies on asymmetric hydrogenation by rhodium complexes of 2*R*-4*R*-bis(diphenylphosphinomethyl)dioxolane, *Nouv. J. Chim.*, (1981) **5**, 167-174 (with G. Descotes, J.M. Brown, D. Sinou).
5. The mechanism of asymmetric homogeneous hydrogenation. Solvent complexes and dihydrides from rhodium biphosphine precursors, *J. Organomet. Chem.*, (1981) **216**, 263-271 (with J.M. Brown, P.A. Chaloner, B.A. Murrer and P.N. Nicholson).
6. The mechanism of asymmetric hydrogenation catalysed by rhodium complexes of chiral pyrrolidinobiphosphines, *J. Organomet. Chem.*, (1981) **218**, 249-260 (with K. Achiwa and P.A. Chaloner).
7. Determination of optical purity at isotopically chiral sites by ^2H NMR, *Tet. Letts.*, (1981) 2815-2818, 4994 (with J.M. Brown).
8. The structure and dynamics of rhodium(I) acetylacetonate complexes of monosubstituted olefins. A carbon-13 NMR study, *J. Organomet. Chem.*, (1982) **240**, 83-93.
9. Mechanistic studies of rhodium catalysed asymmetric hydrogenation, *Am. Chem. Soc. Adv. Chem. Ser.*, (1982) **196**, 355-371 (with J.M. Brown and P.A. Chaloner).

10. The mechanism of asymmetric hydrogenation. Rhodium complexes formed by unsaturated carboxylic acids, carboxylates and carboxamides, *J. Org. Chem.*, (1982) **47**, 2722-2733 (with J.M. Brown).
11. The mechanism of asymmetric hydrogenation. Rhodium-catalysed reductions with deuterium and hydrogen deuteride, *Organometallics*. (1982) **1**, 950-956 (with J.M. Brown).
- *12. ^1H and ^2H NMR determination of the enantiomeric purity and absolute configuration of α - ^2H primary carboxylic acids, amines and alcohols, *J. Chem. Soc., Perkin Trans. 2*, (1983) (1), 83-89.
13. Catalytic and stoichiometric transformations with triphenyl (P,P,P-triphenylphosphineimidato-N) phosphorus cyanide, *Synth. Commun.*, (1985) **15**, 849-854 (with K.B. Dillon and M. Hodgson).
14. Organotransition metal chemistry, Chapter 17, *Annual Reports B*, Royal Society of Chemistry, Eds. J. Mellor and P. Garratt (1985), pp. 207-221.
15. Organotransition metal chemistry, Chapter 17, *Annual Reports B*, Royal Society of Chemistry, Eds. P. Garratt and J. Mellor (1986), pp. 211-227.
16. Origins of the proton NMR chemical shift non-equivalence in the diastereotopic methylene protons of camphanamides, *Tetrahedron*, (1986), **42**, 617-623 (with G. Ferguson and R. Taylor).
17. Catalytic asymmetric hydrocyanation of alkenes using chiral biphosphine palladium complexes, *J. Organomet. Chem.*, (1987), **325**, C27-30 (with M. Hodgson).
18. Synthesis, reactions and X-ray structure of DIOP-palladium ethene: a useful synthetic equivalent for 'DIOP-Pd(0)', *J. Chem. Soc., Chem. Commun.*, (1987), 1309-1311 (with M. Hodgson, R.J. Taylor and G. Ferguson).
19. Simple organometallic chiral derivatising agents for the ^{31}P NMR assay of the enantiomeric purity of certain η^2 -donors, *J. Chem. Soc., Chem. Commun.*, (1987), 1781-1782 (with R.J. Taylor).
20. Direct ^1H NMR assay of the enantiomeric composition of amines and β -amino-alcohols using O-acetyl mandelic acid as a chiral solvating agent, *Tetrahedron*, (1987), **46**, 5451-5456 (with R.J. Taylor).
21. Asymmetric additions to double bonds' in 'Reactions of Coordinated Ligands, Ed. P.S. Braterman, Chapter 3, 733-825 Plenum Press (1987) (with P.A. Chaloner).
22. Hydrogenation' - Chapter 11 in Volume 4 of 'The Chemistry of the Metal Carbon Bond, Eds. F.R. Hartley and S. Patai, pp. 979-1047 (1987).
23. Organotransition Metal Chemistry, Chapter 17, *Annual Reports B*, Royal Society of Chemistry, Eds. J. Mellor (1987), pp. 201-220.
24. Synthetic and mechanistic aspects of palladium catalysed asymmetric hydrocyanation

- of alkenes: crystal structure and reactions of h^2 -ethene (diop) palladium, *Organometallics*, (1988), **7**(8), 1761-1767 (with M. Hodgson, R.J. Taylor and G. Ferguson).
25. Scope and limitations of organometallic chiral derivatising agents for the ^{31}P NMR determination of the enantiomeric purity of chiral h^2 -donors, *Tetrahedron*, (1988) **44**(8), 2241-2248 (with R.J. Taylor).
 26. NMR Determination of enantiomeric purity, *Chem. Rev.*, (1991), **91**, 1441-1459.
 27. Crystal structure and further applications of the chiral derivatising agent η^2 -ethene platinum DIOP, *J. Organomet. Chem.*, (1991), **419**, 269-276 (with R. Fulwood, G. Ferguson and J. Gallagher).
 28. NMR determination of the enantiomeric purity of biologically active molecules *Laboratory Practice* (1991) **40**, (9), 59-63.
 29. Determination of enantiomeric excess, Chapter 3 pp 33-62 in Introduction to Asymmetric Synthesis ed. R.A. Aitken, Blackie, Glasgow (1992) (with R.J. Taylor).
 30. Functionalised α -cyclodextrins as chiral sensors, *The Analyst*, (1992), 1313-1317 (with R. Katakya and P.S. Bates).
 31. A chiral sensor based on peroctylated α -cyclodextrin, *J. Chem. Soc., Chem. Commun.*, (1992) 153 (with P.S. Bates and R. Katakya).
 32. A simple chiral solvating agent for directly determining the enantiomeric purity of carboxylic acids, *Tet. Asymm.*, (1992) **3**, (1), 25-28. (with R. Fulwood).
 33. (1R,2R)-1,2-Diphenyl-1,2-ethanediamine monohydrobromide, *Acta Cryst.* (1992) **C48**, 2273-2275 (with G. Ferguson, J.F. Gallagher and R. Fulwood).
 34. Oxonium (R)O-acetylmandelate, *Acta Cryst.* **C48** (1992) 1909-1911 (with G. Ferguson, J.F. Gallagher and R. Fulwood).
 35. RR-1,2-Diphenyl-diaminoethane: an effective NMR chiral solvating agent for chiral carboxylic acids, *J. Chem. Soc., Perkin Trans. 2* (1994), 57-65 (with R. Fulwood).
 36. Chiral sensors based on lipophilic cyclodextrins: interrogation of enantioselectivity by combined NMR, structural correlation and electrode response studies, *J. Chem. Soc., Perkin Trans. 2* (1994), 669-677 (with P.S. Bates, and R. Katakya).
 37. Potentiometric enantioselective sensors for alkyl and arylammonium ions of pharmaceutical significance based on lipophilic cyclodextrins, *Scand. J. Clin. Lab. Invest.*, (1995) **55**, 409-419 (with R. Katakya and P.M. Kelly).
- B. Electroactive Materials and Sensors**
38. Electroactive thin films for the anodic polymerisation of iron(II) and ruthenium(II) tris(N-bipyridylpyrrole) complexes, *J. Chem. Soc., Chem. Commun.*, (1985) 684-5 (with J.G. Eaves and H.S. Munro).

39. The direct electropolymerisation of a pyrrole substituted ferrocene, *Synth. Met.*, (1986) **16**, 123-126 (with J.G. Eaves and H.S. Munro).
40. Anodic electropolymerisation of thin films of polypyrrole functionalised with metal bipyridyl centres, *Inorg. Chem.* (1987), **26** 664-673 (with J.G. Eaves and H.S. Munro).
41. Electronic properties of conducting polymers, Eds. H. Kuzmany, M. Nuhring, S. Roth, Springer Verlag, Berlin (1987), p. 257-261 (with H.S. Munro and J.G. Eaves).
42. An ESCA study of polypyrrole oxidation, *Polym. Commun.*, (1987), **28**, 38-40 (with J.G. Eaves and H.S. Munro).
43. Soluble conducting polymers from 3-substituted thiophenes and pyrroles, *J. Chem. Soc., Chem. Commun.*, (1987) 466 (with P. Kathirgamanathan, M.R. Bryce, A. Chissel and N.R.M. Smith).
44. A conducting polymeric thin film from the cathodic electropolymerisation of a fluorocarbon monomer, *Synth. Metals*, (1987), **20**, 389-393 (with J.G. Eaves and H.S. Munro).
45. The influence of applied potential on the surface composition of electrochemically synthesised polyanilines, *Synth. Metals.*, (1988) **26**, 169-174 (with R. Mirrazaei and H.S. Munro).
46. Synthesis and cyclic voltammetric behaviour of some 3-substituted thiophenes and pyrroles: precursors for the preparation of conducting polymers, *Synthetic Metals*, (1988) **26**, 153-168 (with A.D. Chissel, N.R.M. Smith, P. Kathirgamanathan and M.R. Bryce).
47. Redox-active films of ferrocene covalently attached to poly-pyrrole, *J. Chem. Soc., Perkin Trans. 2*, (1989) 373-377 (with J.G. Eaves, R. Mirrazaei and H.S. Munro).
48. Stable redox and electronically conducting thin films containing $\text{Fe}(\text{bpy})_3^{2+}$ bound to 3-substituted polythiophenes, *Synth. Metals*, (1989) **30**, 265-269.
49. Synthesis and binding properties of lithium-selective [14]-O4 macrocycles and their use in a lithium selective electrode, *Tetrahedron Letters*, (1989) 4553-7 (with R. Katakya and P.E. Nicholson).
50. Comparative study of mono- and di-substituted 14-crown-4 derivatives as lithium ionophores, *J. Chem. Soc., Perkin Trans. 2*, (1990) 321-327 (with R. Katakya and P.E. Nicholson).
51. Comparative performance of 14-crown-4 derivatives as lithium selective electrodes, *The Analyst*, (1991) **116**, 135-140 (with R. Katakya, P.E. Nicholson and A.R. Covington).
52. Polymerisable thiophene monomers, their production and polymers prepared therefrom, *Eur. Pat. Appl.*, E.P. 253,594 (Jan. 16, 1988) published in 29 countries.

53. Thiophene monomers and polymers prepared therefrom, *Brit. Pat. Appl.*, 8912613.0 (April 1990) (with P.K. Kathirgamanathan and M.R. Bryce).
54. Towards highly oriented polythiophenes incorporating mesogenic or tetrathiafulvalene substituents, *Synthetic Metals*, (1991) **39**(3), 397-400 (with M.R. Bryce, A.D. Chissel, J. Gopal and P. Kathirgamanathan).
55. Synthesis and lithium transport in ionically conducting crown ether polymers *Polymer Commun.* (1993), 1541-1543, (with L. Collie, C. Tachon, H. Hubbard, and S. Wellings).
56. Comparative study of tripodal oxa-amides and oxa-esters as ionophores in potentiometric ion-selective electrodes for alkali and alkaline-earth cations, *Anal. Chim. Acta.* (1993), **276** (2) 353-360, (with R. Katakya, and A. Teasdale).
57. Selective binding and detection of 'onium ions by lipophilic neutral cyclodextrins, *J. Chem. Soc., Chem. Commun.* (1993) 691-693, (with P.S. Bates and R. Katakya).
58. Synthesis of C-functionalised 12,13 and 14-membered crown ethers bearing exocyclic polymerisable groups and the transport properties of their lithium-doped polymers, *J. Chem. Soc., Perkin Trans. 2* (1993) 1747-1758, (with L. Collie, J. Denness, C. Tachon and F. O'Carroll).
59. Characterisation of the complexation behaviour of lipophilic cyclodextrins by electrospray mass spectrometry, *J. Chem. Soc., Chem. Commun.* (1993) 693-696, (with P.S. Bates and B.N. Green).
60. Synthesis and spectroscopic characterisation of lipophilic octylated α , β , and γ -cyclodextrin derivatives, *J. Chem. Soc., Perkin Trans. 2* (1994), 657-668 (with P.S. Bates, and A.F. Patti).
61. Functionalised cyclodextrins as potentiometric sensors for onium ions, *Analyst (London)* (1994) **119**, 181-186 (with P.S. Bates and R. Katakya).
62. Synthesis of crown ether polymers incorporating 12 and 13-membered tetraoxa-rings linked to poly(ethyleneoxide) and poly(phosphazene) backbones and behaviour of their lithium-doped polymers, *J. Chem. Soc., Perkin Trans. 2* (1994) 1445-1453 (with J.E. Denness and H.S.A. Hubbard).
63. Selective binding and sensing of guanidinium ions by lipophilic cyclodextrins, *J. Chem. Soc., Perkin Trans. 2* ., (1994), 2381-2382 (with R. Katakya, P.M. Kelly and A.F. Patti).
64. Light emitting polymers, British Patent, (1995) GB 940 3045 9 (priority 17.02.94) (with P. Kathirgamanathan, R.J. Artley, and M.R. Bryce).
65. Tetraethylammonium perchlorate at 150K, *Acat Cryst. Sect. C*, (1995), **51** , 535-536 (with J. Kivikovski, J.A.K. Howard, and P. Kelly).
66. Lithium selective ionophores based on pendant arm substituted crown ethers, *J. Chem. Soc., Perkin Trans. 2*, (1995), 1761-1769 (with S. Faulkner, R. Katakya and

- A. Teasdale).
67. Monolayer and multilayer films of cyclodextrins substituted with two and three alkyl chains, *Langmuir*, (1995) 11, 3997-4000 (with M.H. Greenhall, P. Lukes, R. Katakya, J.P.S. Badyal, J. Yarwood, and M.C. Petty).
 68. Selective sensing of guanidinium and tetraalkylammonium ions using lipophilic cyclodextrins, *J. Chem. Soc., Perkin Trans. 2*, (1995) 1955-1963 (with P.M. Kelly, R. Katakya, and A.F. Patti).
 69. Luminescence behaviour of cadmium, lead, zinc, nickel, and lanthanide complexes of octadentate macrocyclic ligands bearing naphthyl chromophores, *J. Chem. Soc., Perkin Trans. 2*, (1995) 1305-1314, (with J.A.G. Williams).
 70. Selectivity in the binding and detection of charge diffuse ions, *Pure Appl. Chem.* (1996) **68**, 1219-1223, (with P.M. Kelly, R. Katakya and S. Palmer).
 71. Selective cation binding with *cis-cis*-1,3,5-trioxycyclohexyl based ligands: application to ion transport and electrochemical detection and assessment of complexation by electrospray mass spectrometry, *J. Chem. Soc., Perkin Trans. 2*, (1997), 59-69 (with M. Goodall, P. Kelly, K. Gloe and H. Stephan).
 72. Sensitive and specific electrochemical sensors for charge diffuse cations: the use of lipophilic cyclodextrins and an enzyme relay for the analysis of acetyl choline, *Analyst*, (1996), 1829-1835, (with R. Katakya).
 73. Selective complexation and sensitive analysis of charge diffuse cationic species using lipophilic cyclodextrins, *Chem. Commun.* (1997), 141-146 (feature article, with R. Katakya).
 74. Thin film technology for the fabrication of robust and sensitive biosensors, *Brit Pat GB 2313912* (priority 03.06.96; published 10.12.97, granted 23.09.98) (with R. Katakya).
 75. Reaction chemistry of tri-substituted mesitylene derivatives and the synthesis of sterically buttressed 1,3,5-triazacyclohexyl ligands, *J. Chem. Soc., Perkin Trans. 2*, (1997), 1445-1453 (with K. Senanayake, J. Vepsalainen, S. Williams, A.S. Batsanov, and J.A.K. Howard).
 76. NMR Studies of enantiomer discrimination using lipophilic cyclodextrins: the use of pulsed-gradient methods to probe chiral differentiation, *J. Chem. Soc., Perkin Trans. 2* (1998) 19-25 (with A. Gafni, Y. Cohen and S. Palmer).
 77. Alkylated cyclodextrin based potentiometric and amperometric electrodes applied to the measurement of tricyclic antidepressants, *Electroanalysis*, (1997), **9** (16) 1267-1272 (with R. Katakya, D. Spurling, and S. Palmer).

C. Targeting Metal Complexes In Vivo

78. Conjugated compound between a macrocyclic ligand and an antibody, *Eur. Pat. Appl.* 87391251.2 (Aug. 13, 1987) [EP 0238196], published in 29 countries.
79. Antibody labelling with functionalised cyclam macrocycles, *J. Chem. Soc., Chem. Commun.*, (1988), 156-158 (with J.R. Morphy, M.A.W. Eaton, R. Titmas, A. Millican).
80. Solution behaviour of a monooxorhenium complex of 1,4,8,11-tetraazacyclotetradecane, *Inorg. Chim. Acta.*, (1988), **148**(2), 251-253 (with P.S. Roy).
81. Synthesis and characterisation of stable rhenium(V) dioxo complexes with linear tetraamine ligands, *Inorg. Chem.*, (1988) **27**, 4127-4130 (with P.S. Roy).
82. Implementation of macrocycle-conjugated antibodies for tumour targeting, *Pure Appl. Chem.* (1989) **61**(9), 1637-1641 (with J.R. Morphy, J. Cox and K. Jankowski).
83. Triazamacrocycle-antibody conjugates, *Int. Pat. Appl.*, PCT/GB 88/00672 (28 countries) (February 1989); PCT Int. Appl. WO89/01475.
84. Tetraazamacrocycle-antibody conjugates, *Int. Pat. Appl.*, PCT/GB 88/00671 (28 countries), PCT Int. Appl. WO89/01476 (February 1989).
85. Aza-macrocycles and processes for their preparation, *Eur. Pat. Appl.*, PCT/GB/8903023 (28 countries) (with N.R.A. Beeley), August 1990; *PCT Int. Appl.* W090/00219.
86. Tetra-aza macrocycles and processes for their preparation, *Eur. Pat. Appl.*, PCT/GB/8903025 (29 countries), August 1990; *PCT Int. Appl.* WO90/00231.
87. Tri-aza macrocycles and processes for their preparation, *Eur. Pat. Appl.* PCT/GB/8914543 (December 1990, 14 countries). *PCT Int. Appl.* WO90/00982.
88. Tetraaza macrocycles processes for their preparation and their use in magnetic resonance imaging, *Eur. Pat. Appl.* EP 0 455 380 A2 (06.11.91) (with N.R.A. Beeley).
89. Conjugate compounds containing aza-macrocycles and processes for their preparation, *Eur. Pat. Appl.* PCT GB91/00613 (October 1991).(with N.R.A. Beeley, and T.A. Millican).
90. Towards tumour targeting with an indium-111 labelled macrocycle antibody conjugates, *J. Chem. Soc., Chem. Commun.*, (1989) 794-796 (with A.S. Craig, I.M. Helps, K.J. Jankowski, N. R. A. Beeley, B. A. Boyce, M.A.W. Eaton, A.T. Millican, K. Millar, A. Phipps, S.K. Rhind, A. Harrison and C. Walker).
91. Towards tumour targeting with copper radiolabelled macrocycle-antibody conjugates, *J. Chem. Soc., Chem. Commun.*, (1989) 792-794 (with J.R. Morphy, R. Katakay, M.A.W. Eaton, A. Harrison, A. Millican and A. Phipps).
92. Synthesis of a kinetically stable yttrium-90 labelled macrocycle antibody conjugate, *J. Chem. Soc., Chem. Commun.*, (1989) 797-798 (with J.P.L. Cox, K.J. Jankowski,

- R. Katakya, N.R.A. Beeley, B.A. Boyce, M.A.W. Eaton, K. Millar, A.T. Millican, A. Harrison and C. Walker).
93. Crystal and molecular structure of a seven-coordinate indium(III) complex of 1,4,7-triazacyclononanetriacetic acid, *Polyhedron*, (1989) **8** (20), 2481-2484 (with A.S. Craig, I.M. Helps, H. Adams, N. Bailey, M. Williams and G. Ferguson).
 94. Synthesis, crystal structure and solution stability of aza-thia macrocycle complexes of silver(I), *J. Chem. Soc., Chem. Commun.*, (1989), 1870-1872 (with A.S. Craig, R. Katakya, H. Schneider, N.R. Bailey and H. Adams).
 95. Structure and ^{71}Ga NMR analysis of a neutral gallium(III) complex of 1,4,7-triazacyclononanetriacetate: a potential radiopharmaceutical, *J. Chem. Soc., Chem. Commun.*, (1989), 1793-1794 (with A.S. Craig, H. Adams and N.R. Bailey).
 96. Synthesis of C and N-functionalised derivatives of triazacyclononane triacetate (NOTA), tetraazacyclododecane tetraacetate (DOTA) and diethylenetriaminepentaacetic (DTPA): bifunctional complexing agents for the derivatisation of antibodies, *J. Chem. Soc., Perkin Trans I*, (1990), 2567-2577 (with J.P.L. Cox, A.S. Craig, I.M. Helps, K.J. Jankowski, M.A.W. Eaton, A.T. Millican, K. Millar, N.R.A. Beeley and B.A. Boyce).
 97. Tumour targeting with macrocycle-antibody conjugates, *Chem. in Brit.*, (1990) (October), pp. 942-946.
 98. Towards clinical applications of synthetic macrocycles: from diagnosis to therapy, *Chem. Soc. Rev.*, (1990), **19**, 251-271.
 - *99. Towards tumour targeting with copper-radiolabelled macrocycle-antibody conjugates: synthesis, antibody linkage and complexation behaviour, *J. Chem. Soc., Perkin Trans. 2*, (1990), 573-585, (with J. R. Morphy, R. Katakya, A. T. Millican, R. Alexander, A. Harrison and C. Walker).
 100. Synthesis and complex stability of parent and C-functionalised derivatives of 1,4,7-triazacyclononane-1,4,7-tris(methylene(methylphosphinic)) acid: an effective new complexing agent, *J. Chem. Soc., Chem. Commun.*, (1990) 1738-1739 (with C.J. Broan, K.J. Jankowski and R. Katakya).
 101. Synthesis and complexation behaviour of an effective octadentate complexone: 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetrakis[methylene(methylphosphinic)]acid, *J. Chem. Soc., Chem. Commun.*, (1990) 1739-1741 (with C.J. Broan, K.J. Jankowski, R. Katakya, A.M. Randall and A. Harrison); *ibid.* (1991) 204.
 - *102. Structure and solution stability of indium and gallium complexes of 1,4,7-triazacyclononane triacetate and of yttrium complexes of 1,4,7,10-tetraazacyclododecane tetraacetate and related ligands: kinetically stable complexes for use in imaging and radioimmunotherapy, *J. Chem. Soc. Perkin Trans. 2*, (1991) 87-101 (with C. Broan, J.P.L. Cox, A.S. Craig, R. Katakya, A. Harrison, A.M. Randall

- and G. Ferguson).
103. The in-vivo release of ^{90}Y from cyclic and acyclic ligand antibody conjugates, *Int. J. Nucl. Med. Biol.*, (1991) **18**, 469-476 (with A. Harrison, C. Walker, J.P.L. Cox, K.J. Jankowski, J. Sansom, M.A.W. Eaton, N.R.A. Beeley and A.T. Millican).
 104. Synthesis and structure of stable indium and gallium complexes of @-1,4,7-tris(2'-methyl carboxymethyl)-triazacyclononane, *Polyhedron* (1991), **10**, (16) 1951-1953 (with R.C. Matthews, G. Ferguson, B. Kaitner, A. Harrison and L. Royle).
 105. Synthesis of new macrocyclic amino-phosphinic acid complexing agents and their C- and P-functionalised derivatives for protein linkage, *Synthesis*, (1992), 63-69 (with C.J. Broan, E. Cole, K. Pulukkody, K.J. Jankowski, B.A. Boyce, K. Millar, N.R.A. Beeley and A.T. Millican).
 106. Ga- ^{67}Ga Uptake by xenografts of human melanotic melanoma in mice, *Nuc. Med. Commun.*, (1992), **13**, 667-672, (with A. Harrison, C.A. Walker, K.A. Pereira, L. Royle, R.C. Matthews and A.S. Craig).
 107. The chemical fate of ^{212}Bi chelates formed by decay of ^{212}Pb chelates *Radioactivity and Radiochemistry* (1992) **3**, (4) 18-22 (with C. Wu, S. Mirzadeh, K. Kumar and O.A. Gansow).
 108. Stable anionic, neutral, and cationic complexes of gadolinium with functionalised amino-phosphinic acid macrocyclic ligands, *J. Chem. Soc., Chem. Commun.* (1992), 1441-1443 (with K. Pulukkody, T.J. Norman, L. Royle, and A. Harrison).
 109. Tailoring macrocycles for clinical applications in Crown compounds towards future applications, (1992) Chapter 4 pp 51-69, Ed. S.R. Cooper, Verlag-Chemie.
 110. Synthesis of charged and uncharged complexes of gadolinium and yttrium with cyclic polyaza-phosphinic acid ligands for in vivo applications *J. Chem. Soc., Perkin Trans.2* (1993), 605-620 (with K.P. Pulukkody, T.J. Norman, L. Royle and C.J. Broan).
 111. Hepato-biliary and renal excretion in mice of charged and neutral gadolinium complexes of cyclic tetra-aza-phosphinic and carboxylic acids, *Mag. Res. Imaging* (1993), **11**, 761-770 (with A. Harrison, C.A. Walker, K.A. Pereira, L. Royle, K. Pulukkody, and T.J. Norman).
 112. Targeting metal complexes in vivo: from simple complexes to bioconjugates, *J. Inorg. Biochem.* **51**, (1993), 178-179.
 113. Diagnosis and therapy with antibody conjugates of metal radioisotopes in *Advances in Metals in Medicine*, Volume 1, Chapter 2, pp 29-73, eds M.J. Abrams and B.A. Murrer, Jai Press (1993) (with K.J. Jankowski).
 114. Structures of the yttrium complexes of DOTA and of a dibenzyl DTPA-diamide and the solution structure of the zirconium complex of DOTA, *J. Chem. Soc., Dalton Trans.* (1994) 689-694 (with K. Pulukkody, F.C. Smith, A. Batsanov, and

- J.A.K.Howard).
115. 1,4,7-Triazacyclononane-tris(methylene[phenylphosphinate]) enforces octahedral geometry: crystal and solution NMR structures of its iron, cobalt, nickel copper, zinc, gallium and indium complexes, *J.Chem.Soc., Dalton Trans.* (1994) 1619-1625, and 2221 (with E. Cole, R.B. Copley, J.A.K. Howard, G. Ferguson, J.F. Gallagher, A. Harrison, and L. Royle).
 116. Solution and solid-state characterisation of highly rigid eight-coordinate lanthanide(III) complexes of a macrocyclic tetrabenzyl-phosphinate, *Inorg. Chem.* (1994) 4696-4706 (with S. Aime, A.S. Batsanov, M. Botta, J.A.K. Howard, K. Senanayake, and G. Williams).
 117. Targeting metal complexes, *Chem. Brit.* (1994), Oct. 818-823.
 118. Comparative biodistributions of indium -111 labelled macrocycle chimeric B72.3 antibody conjugates in tumour-bearing mice, *Br. J. Cancer* (1994) **70**, 35-41 (with A. Turner, D.J. King, A.P.H. Farnsworth, S.K. Rhind, R.B. Pedley, J. Boden, R. Boden, A.T. Millican, K. Millar, B. Boyce, N.R.A. Beeley, and M.A.W. Eaton).
 119. A new metal complex analogue of benzylguanidine: indium radiolabelling of 1,5,9-triazacyclododecane-triacetate-benzyguanidine, *Eur. J. Nucl.Med.* (1994), **21**, S131 (with F. O'Carroll, J. Zweit, P. Carnochan and H. Sosabowski).
 120. Synthesis and biodistribution of ^{111}In , ^{67}Ga , and ^{153}Gd radiolabelled conjugates of nitroimidazoles with bifunctional complexing agents: imaging agents for hypoxic tissue?, *Supramolecular Chemistry*, (1995), **4** (4), 305-310, (with T.J. Norman, F.C. Smith, A. Harrison, L. Royle, and C. Walker).
 121. Towards selective DNA targeting: synthesis of an antibody-macrocycle-intercalator conjugate, *J. Chem. Soc., Chem. Commun.*, (1995), 1879-1880 (with T.J. Norman, F.C. Smith, and D.J. King).
 122. Enhancing tumour targeting with yttrium labelled recombinant antibody conjugates, *J. Chem. Soc., Chem. Commun.* (1995) 1877-1878 (with T.J. Norman, A. Harrison, L. Royle and D. King).
 123. Characterisation of lanthanum complexes for PET imaging, *J. Labelled Compounds and Radiopharmaceuticals*, (1995) **37**, 477- 479.
 124. Imaging and targeting in *Comprehensive Supramolecular Chemistry* eds. D.N. Reinhoudt, J-M. Lehn, Pergamon, Oxford, (1996), vol. 10 , chapter 17 , 487-536.
 125. Copper-64/13-N4-macrocycle-biotin-conjugate: radiolabelling and radiotracer kinetic studies in rodents, *J.Nucl.Med.*, (1996), 37 (5), SS 724.
 126. Structural studies of lanthanide complexes of macrocyclic ligands bearing benzylphosphinate groups, *J. Chem. Soc., Dalton Trans.* (1997), 3623-3637 (with

- S. Aime, A.S. Batsanov, A. Beeby, M. Botta, R.S. Dickins, S. Faulkner, C.E. Foster, J.A.K. Howard, J.M. Moloney, T.J. Norman, and J.A.G. Williams).
127. Bipolar lipids, *Int. Pat. Appl.*, WO99/52858; published 21.10.99; *Chem Abs.*, **131**(22), 299315b, (with M.A.W. Eaton, T.J. Norman, T.S. Baker, A.N. Weir and C.F. Catterall).
128. A new self-assembling system for targeted gene delivery, *Angew. Chem. Int. Ed. Engl.*, 2000, **39**, 4063-4067 (with T.S. Baker, C. Catterall, K. Crook, M.A.W. Eaton, B. Mason, T.J. Norman, J.J.B. Perry, R.J. Taylor and A.N. Weir).
129. Targeted lipid particles, *Int. Pat. Appl.*, WO01/12154 A2 ; (PCT/GB00/03170; published 22.02.01), (with M. A. W. Eaton, T.S. Baker, T. J. Norman, A. N. Weir and C. F. Catterall).

D. Macrocyclic and Heterocyclic Chemistry

130. Alkali and alkaline earth cryptates, *Adv. Inorg. Chem. and Radiochem.*, (1983) **27**, 1-26.
131. Synthesis and structure of dinuclear rhodium carbonyl cryptates, *J. Chem. Soc., Chem. Commun.*, (1983) 296-298 (with J.M. Lehn, J.P. Lecomte and C. Pascard).
132. Heterotopic ligands. Synthesis and complexation properties of phosphine-functionalised dipodal macrocycles, *J. Chem. Soc., Chem. Commun.*, (1984) 1546-1548 (with B.A. Boyce, A. Carroy, and J.M. Lehn).
133. Mononuclear and dinuclear rhodium (I) and palladium (II) complexes of macrocyclic ligands based on the 2,6-pyridinethiomethano subunit, *J. Chem. Soc., Dalton Trans.* (1985), 1517-1524 (with J.M. Lehn and J. Rimmer).
134. The structure and reactivity of dipyridinium dications, *J. Chem. Soc., Perkin Trans. 2*, (1985) 433-439 (with J.G. Eaves, M.R. Bryce and J.A.K. Howard).
135. Synthesis and cryptate complexes of thiamacropolycyclic ligands based on the [12]-N₂S₂ macrocyclic subunit, *J. Chem. Soc., Dalton Trans.* (1985), 2311-2318 (with A. Alberts and J.M. Lehn).
136. On the characterisation of dinuclear macrocyclic complexes using fast atom bombardment mass spectrometry, *Org. Mass Spectrom.*, (1985), **20**, 260-262.
137. Ditopic ligands. Synthesis and complexation behaviour of [24]-pyridine N₆O₂, *J. Chem. Soc., Chem. Commun.*, (1985), 1129-1131.
138. A linear trinuclear macrocyclic copper(II) complex, *J. Chem. Soc., Chem. Commun.*, (1985) 1609-1610 (with G. Ferguson, C.R. Langrick and K.E. Matthes).
139. Complexation behaviour of a morpholino phosphine containing hard and soft donor sites, *Inorg. Chim. Acta*, (1986) **111**, L29-L34 (with C.R. Langrick).
140. An MNDO study of dipyridopyrazinium and related cations: instability of certain

- fused heteroaromatic dications with two bridgehead nitrogens, *Can. J. Chem.*, (1986) **64**, 1711-1716 (with J.G. Eaves and N. Rudgewick-Brown).
141. Heterotopic Ligands. The synthesis of a series of phosphine-functionalised macrocycles, *Helv. Chim. Acta*, (1986) **69**, 580-585 (with A. Carroy, J.M. Lehn, K.E. Matthes and C.R. Langrick).
 142. A dimeric macrocyclic rhodium(I) complex with a weak metal-metal bond, *J. Chem. Soc., Chem. Commun.*, (1987) 1350-1351 (with G. Ferguson and K.E. Matthes).
 143. Simultaneous primary and secondary coordination of a neutral guest within a macrocyclic complex of rhodium(III), *Ang. Chem. Int. Ed. Engl.*, (1987), **26**, 1162-1163 (with G. Ferguson and K.E. Matthes).
 144. Structure and complexation behaviour of calcium selective [12]-N₂O₂ macrocycles incorporating amide substituents, *Tetrahedron Lett.*, (1987), 5573-5577 (with K.E. Matthes, G. Ferguson and H.J. Buschmann).
 145. Stereochemical aspects of macrocyclic complexes of transition metal ions', chapter 3 in 'Stereochemistry of organometallic and inorganic compounds, ed. I. Bernal, Elsevier (1987), pp187-229 (with K.E. Matthes).
 146. Selective N,N functionalisation of cyclam: crystal structure of the Cu²⁺ complex of 1,4,8,11-tetraazacyclotetradecane-1,8-Diacetic acid and the tricyclic lactam 15,18-dioxo-1,5,8,12-tetraazatricyclo[10.2.2.2.5.8]tetradecane, *J. Chem. Soc., Chem. Commun.*, (1988) 1094-1095 (with I.M. Helps, J. Chapman and G. Ferguson).
 147. Crystal and molecular structure of a polymeric gold(I) complex: chloro 1,4,7-triathiacyclononane gold(I), *Inorg. Chim. Acta*, (1988) **155**, 227-230 (with P.S. Roy, G. Ferguson and M.M. Hunt).
 148. Crystal structure and solution dynamics of mono- and dinuclear rhodium complexes of heterodinuclear macrocyclic ligands containing the 2,6-di(thiomethyl)pyridine subunit, *J. Chem. Soc., Dalton Trans.*, (1989) 915-922 (with I. Helps, K.E. Matthes and G. Ferguson).
 149. General routes for the synthesis of mono, di and tri-N-substituted derivatives of cyclam, *Tetrahedron*, (1989) **45**, 219-226 (with I.M. Helps, J.R. Morphy and J. Chapman).
 150. Crystal and molecular structure of a dimeric macrocyclic silver(I) complex with 21-aza-3,15-dithia-6,9,12-trioxabicyclo[15.3.1]Heneicosane-1(21),17,19-Triene, *Acta Crystallogr. C.*, (1989) **45**(5), 741-745 (with A. Craig, K.E. Matthes and G. Ferguson).
 151. The structure of a conformationally strained macrocyclic copper(II) complex with N,N'-carbomethoxymethyl-1,4-diaza-7-thia-cyclononane, *Acta Cryst. Sect. C*, (1989) **45**, 1498-1500 (with A.S. Craig and G. Ferguson).

152. Synthesis of C- and N-functionalised derivatives of 1,5,9-triazacyclododecane, *J. Chem. Soc., Perkin Trans. I*, (1989) 2079-2082 (with I.M. Helps, K.J. Jankowski and P. Nicholson).
153. A silver complex of a macrocyclic sandwich, *Polyhedron*, (1989) **8**, 2951-2952 (with A.S. Craig, G. Ferguson and A.J. Lough).
154. Synthesis and binding properties of amide-functionalised polyaza macrocycles, *J. Chem. Soc., Perkin Trans. 2*, (1990), 1425-1432 (with R. Katakay, K.E. Matthes, P.E. Nicholson and H.J. Buschmann).
155. Synthesis of 1,10 dithia-4,7,13,16-tetraazacyclooctane; 1-aza-4,7-dithiacyclononane and N,N'-1,2-bis(1-aza-4,7-dithiacyclo-nonyl)ethane. Structural and solution studies of their silver complexes, *J. Chem. Soc., Perkin Trans. 2*, (1990), 1523-1532 (with A.S. Craig, R. Katakay, R.C. Matthews, G. Ferguson, H. Adams, N. Bailey and H. Schneider).
156. Synthesis and structure of chiral metal complexes of polyazacycloalkane ligands incorporating phosphinic acid donors, *J. Chem. Soc., Chem. Commun.*, (1991), 1473-1475 (with E. Cole, G. Ferguson, J.F. Gallagher and B. Kaitner).
157. Synthesis and structure of copper and nickel complexes of 1,8-disubstituted derivatives of cyclam, *J. Chem. Soc., Dalton Trans.*, (1992), 345-354 (with J. Chapman and G. Ferguson).
158. Binding properties of amide and amide-ester N-functionalised polyaza macrocycles, *J. Chem. Soc., Perkin Trans. 2* (1992), 1347-1351, (with R. Katakay, A. Teasdale, J.P. Hutchinson and H-J. Buschmann).
159. Pronounced calcium-binding selectivity with diamide derivatives of 12-N₂O₂ and the importance of desolvation, *Supramolecular Chemistry* (1993) **3**, 15-18 (with A. Teasdale and H-J. Buschmann).
160. Synthesis, structure and preliminary complexation behaviour of macrocyclic thioureas and ureas, *J. Chem. Soc., Chem. Commun.* (1993) 1267-1269 (with M. Rosser, J.A.K. Howard, D.S. Yufit, J. Gallagher and G. Ferguson).
161. Solvation and complexation: from cation complexation to excited-state stabilisation' in 'Computational approaches in supramolecular chemistry ed. G. Wipff, *NATO ASI Ser. C* vol. 426, Kluwer, London, 1994, pp 221-235.
162. Towards structurally responsive receptors for acetyl choline, *J. Chem. Soc., Perkin Trans. 2*, (1995) 85-89 (with M.J. Rosser).
163. 'Conformationally biased triazacyclohexyl L₃X₂ and L₃X₃ ligands' *J. Chem. Soc., Chem. Commun.* (1995) 2361-2363 (with T.J. Norman, K. Senanayake, J. Vepsalainen, S. Williams and A. Batsanov).
164. 'Synthesis and solution complexation behaviour of dimeric zinc-selective bisbenzimidazoles', *J. Chem. Soc. Perkin Trans 2*, (1996), 1117-1125 (with

- G.B. Bates and P.A. Tasker).
165. 'Aza crowns' (1996), chapter 1, pp 1-23 in 'Macrocyclic synthesis: a practical approach', ed. D. Parker, OUP, Oxford.
 166. 'Aza-oxa-crowns' (1996), chapter 2, pp 24-49, in 'Macrocyclic synthesis: a practical approach', ed. D. Parker, OUP, Oxford.
 167. 'Aza-thia and thia-crowns', (1996), chapter 3, pp 50-72, in 'Macrocyclic synthesis: a practical approach', ed. D. Parker, OUP, Oxford.
 168. 'Synthesis of a ligand imposing tetrahedral coordination based on 1,10-phenanthroline', *Tetrahedron Letts.* (1996), **37**, 267-270 (with G.B. Bates).
 169. 'Tetradentate ligands incorporating phosphinate donors: synthesis and complex stability' *J. Chem. Soc., Dalton Trans.* (1996) 2693-2699 (with G.B. Bates, R. Katakya and E. Cole).
 170. 'Synthesis and metal binding behaviour of N- and C-functionalised triazacyclododecane ligands', *J. Chem. Soc., Perkin Trans. 2*, (1996), 1109-1115 (with G.B. Bates).
 171. 'An efficient metal-templated route to C-functionalised derivatives of 12aneN₄', *Chem. Commun.* (1996), 1249-1250, (with C.D. Edlin, S. Faulkner, and M.P. Wilkinson).
 172. 'Azathiophosphinic acids and metal complexes thereof', *British Patent GB2 317 176 B*, (priority 13.08.96, published 18.03.98, granted 19.08.98) (with M.A.M. Easson).
 173. 'The synthesis of tetradentate aza-thiophosphinate ligands', *Tetrahedron Letts.*, (1997), 6091-6094 (with M.A.M. Easson).
 174. 'Synthesis of heterocyclic aza-phosphinate ligands based on the benzimidazole skeleton', *Tetrahedron Letts.*, (1998), 2797-2801 (with C.D. Edlin).
 175. 'Dimethylphosphorylhydrazide ligands and their copper complexes : X-ray structural studies and analysis of their solution complexation behaviour by electrospray mass spectrometry', *J. Chem. Soc. Dalton Trans.*, 1999, 323-329 (with A.S. Batsanov, M.A.M. Easson, L.J. Govenlock, J.A.K. Howard and J.M. Moloney).
 176. Selective solvent extraction of tetrahedrally coordinating transition metal ions from acidic aqueous media using benzimidazole-phosphinate ligands: specificity for zinc(II) over copper(II)', *New J. Chem.*, 1999, 819-827 (with C.D. Edlin, J. J. B. Perry, C. Chartroux and K. Gloe).
 177. Solution complexation behaviour of 1,3,5-trioxycyclohexyl based ligands and their evaluation as ionophores for group Ia/IIa metal cations', *J. Chem. Soc., Perkin Trans.2*, 2000, 623-631 (with O. Reany, S. Blair, and R. Katakya).
 178. A rotaxane of a 1,1'-disubstituted ferrocene and β -cyclodextrin, *New J. Chem.*, 2000, 24, 265-268 (with P.J. Skinner, S. Blair and R. Katakya).

E. Lanthanide Coordination Chemistry

179. Luminescence behaviour of stable europium and terbium complexes of tetra-aza phosphinates: efficient through-space energy transfer from phenyl to terbium, *J. Chem. Soc., Chem. Commun.* (1993), 1116-1118 (with J.A.G. Williams, M. Murru, and A. Beeby).
180. Luminescence behaviour of cadmium, lead, zinc, copper, nickel and lanthanide complexes of octadentate macrocyclic ligands bearing naphthyl chromophores, *J. Chem. Soc., Perkin Trans. 2*, (1995), 1305-1314 (with J.A.G. Williams).
181. NMR studies of neutral lanthanide complexes with tetraazamacrocyclic ligands containing three phosphinate and one carboxamide coordinating arms, *J. Chem. Soc., Dalton Trans.* (1995), 2259-2266 (with S. Aime, M. Botta, and J.A.G. Williams).
182. The degree of hydration of octadentate macrocyclic ligands incorporating phosphinate donors : solution relaxometry and luminescence studies, *J. Chem. Soc., Dalton Trans.* (1996) 17-23 (with S. Aime, M. Botta, and J.A.G. Williams).
183. Closely diffusing OH, amide NH and methylene CH oscillators quench the excited state of europium complexes, *Chem. Commun.* (1996) 697-698 (with R.S. Dickins, A.de Sousa and J.A.G. Williams).
184. Modest effectiveness of carbostyryl 124 as a sensitising chromophore in europium and terbium amide complexes based on 1,4,7,10-tetraazacyclododecane, *J. Chem. Soc., Perkin Trans. 2*. (1996) 1581-1586 (with J.A.G. Williams).
185. Photochemical investigations of functionalised 1,4,7,10-tetraazacyclododecane ligands incorporating naphthyl chromophores, *J. Chem. Soc., Perkin Trans. 2* (1996), 1565-1579 (with A. Beeby and J.A.G. Williams).
186. Getting excited about lanthanide complexation chemistry, *J. Chem. Soc., Dalton Trans.* (1996), 3613-3628, (*Dalton perspective* , with J.A.G. Williams).
187. Prototropic versus whole water exchange contributions to the solvent relaxation enhancement in the aqueous solution of a cationic Gd(III) macrocyclic complex, *J. Am. Chem. Soc.*, (1997), **119**, 4767-4768 (with S. Aime, A. Barge, M. Botta and A.S. de Sousa).
188. Structural rigidity and chiral luminescence of lanthanide tetraamide complexes based on 1,4,7,10-tetraazacyclododecane, *Angew.Chem.Int.Ed.Engl.*, (1997), **36**(5), 521-523, (with R.S. Dickins, J.A.K. Howard, J. Moloney and R.D. Peacock).
189. Luminescence from ytterbium and its complexes in solution, *Chem. Commun.* (1997) 1401-1403 (with A. Beeby, R.S. Dickins, S. Faulkner, and J.A.G. Williams).
190. Strong exciton coupling and circularly polarised luminescence in rigid complexes of chiral macrocyclic tetranaphthylamides, *Chem. Commun.*, (1997) , 1747-1748 (with R.S. Dickins, J.A.K. Howard, J. Moloney and G. Siligardi).
191. Luminescent chemosensors for pH, halide and hydroxide ions based on kinetically

- stable, macrocyclic europium-phenanthridinium conjugates, *Chem. Commun.*, (1997), 1777-1778 (with K. Senanayake and J.A.G. Williams).
192. Taking advantage of the pH and pO₂ sensitivity of a macrocyclic terbium-phenanthridinium complex, *Chem. Commun.*, (1998) , 245-246 (with J.A.G. Williams).
 193. Use of circularly polarised luminescence following circularly polarised excitation as a probe for the chiral structure of octadentate complexes of Eu(III) and Tb(III) with cyclic polyazaphosphinic acid ligands, *Enantiomer*, (1998) **2**, 381-395 (with E. Huskowska, C.L. Maupin, J.A.G. Williams and J.P. Riehl).
 194. Positive discrimination, *Educ. in Chem.*, (1998) , 104-108.
 195. Luminescent europium tetraazamacrocyclic complexes with wide range pH sensing, *Chem. Commun.* , (1998) 511-512 (with T. Gunnlaugsson).
 196. Luminescence, NMR and relaxometric properties of lanthanide complexes of chiral monoamide triphosphinate complexes, *J. Chem. Soc., Dalton Trans.*, (1998), 881-893 (with S. Aime, M. Botta, R.S. Dickins, C. Maupin and J.P. Riehl)
 197. Relaxometric and luminescence behaviour of a triaquohexaazamacrocyclic complex displaying a high relaxivity with a pronounced pH dependence, *New J. Chem.* , (1998), 627-633, (with J. Hall, R. Haner, S. Aime, M. Botta, S. Faulkner, D. Parker and A.S. de Sousa).
 198. Ground and excited state chiroptical properties of enantiopure macrocyclic tetranaphthyl lanthanide complexes: controlled modulation of the frequency and polarisation of emitted light, *New J. Chem.*, (1998) 891-900 (with R.S. Dickins, C.L. Maupin, J.M. Moloney, R.D. Peacock, J.P. Riehl, and G. Siligardi).
 199. Luminescent sensors for pH, pO₂, halide and hydroxide ions using phenanthridine as a photosensitiser in macrocyclic europium and terbium complexes, *J. Chem. Soc., Perkin Trans.*, **2** , (1998) 2129-2140, (Keynote article, with P.K. Senanayake and J.A.G. Williams).
 200. Structure and dynamics of all the stereoisomers of europium complexes of tetra(carboxyethyl) derivatives of dota: ring inversion is decoupled from arm rotation in the *RRRR* and *RRRS* isomers, *Chem. Commun.*, (1998) 1381-1382 (with M. Woods, J.A.K. Howard, A.M. Kenwright, J.M. Moloney, M. Port, M. Navet, and O. Rousseaux).
 201. Reversible anion binding in aqueous solution at a cationic heptacoordinate lanthanide centre: selective bicarbonate sensing by time-delayed luminescence, *Chem. Commun.*, (1998) 1643-4 (with R.S. Dickins, T. Gunnlaugsson and R.D. Peacock)
 202. Circularly polarised luminescence from chiral octadentate complexes of Yb(III) in the near infra-red, *J. Am. Chem. Soc.* , (1998), **120**, 10563-10564, (with C.L. Maupin, J.P. Riehl and J.A.G. Williams).

203. Ligands derived from C-aryl substituted derivatives of cyclen form kinetically unstable complexes with lanthanide(III) ions, *New J. Chem.* (1998) , 1359-1364 (with C.D. Edlin, S. Faulkner, M.P. Wilkinson, M. Woods, J. Lin, E. Lasri, F. Neth and M. Port) .
204. First 1-H NMR observation of the water molecule coordinated to a paramagnetic lanthanide(III) ion. Assessment of a remarkable difference in the water exchange rate for two isomers of a DOTA-like Eu(III) complex, *Angew. Chem. Int. Ed. Engl.*, (1998), **37**, 2673-2675 (with S. Aime, A. Barge, M. Botta and A.S. de Sousa).

1999

205. Synthesis, time-resolved luminescence, NMR, circular dichroism and circularly polarised luminescence studies of enantiopure macrocyclic lanthanide tetraamide complexes, *Chem. Eur. J.*, (1999) **5**, 1095-1105 (with R.S. Dickins, J.A.K. Howard, C.L. Maupin, J.M. Moloney, J.P. Riehl, G. Siligardi and J.A.G. Williams).
206. Parallel processing in solution in *Supramolecular science; where it is and where it is going*, eds. R. Ungaro and E. Dalcanale, NATO-ASI , Kluwer, Dordrecht, 1999, **C527**, 53-67.
- *207. Non-radiative deactivation of the excited states of europium, terbium and ytterbium complexes by energy matched OH, NH and CH oscillators: an improved luminescence method for establishing solution hydration states, *J. Chem. Soc., Perkin Trans. 2*, 1999, 493-504 (with A. Beeby, I.M. Clarkson, R.S. Dickins, S. Faulkner, L. Royle, A.S. de Sousa, J.A.G. Williams and M. Woods)
208. Generating a warm glow: lanthanide complexes which luminesce in the near-IR, *J. Fluoresc.*, (1999) **9**, 45-51, (with S. Faulkner, A. Beeby, R.S. Dickins and J.A.G. Williams).
209. Stereodifferentiation and base-pair selectivity in the binding of D and L cationic lanthanide complexes to [(CG)₆]₂ , [(AT)₆]₂ and CT-DNA, *Chem. Commun.*, 1999, 1699-1700 (with L.J. Govenlock, C.E. Mathieu, C.L. Maupin, J.P. Riehl, G. Siligardi and J.A.G. Williams).
- *210. NMR, Relaxometric and structural studies of the hydration and exchange dynamics of cationic lanthanide complexes of macrocyclic tetraamide ligands', *J. Am. Chem. Soc.*, 1999, **121**, 5762-5772 (with S. Aime, A. Barge, M. Botta, J.A.K. Howard, J.M. Moloney , A.S. de Sousa and M. Woods)
211. Responsive luminescent lanthanide complexes for sensing pH, pO₂ and hydrogencarbonate, *Proc. SPIE* 1999, **3602**, 186-193 (with T. Gunnlaugsson and J.A.G. Williams).
212. Structure and relaxivity of macrocyclic gadolinium complexes incorporating pyridyl and 4-morpholinopyridyl substituents, *New J. Chem.*, 1999, 669-670 (with S. Aime, M. Botta, A.S. Batsanov, J.A.K. Howard and M.P. Lowe).

213. Direct NMR and luminescence observation of dissociative water exchange at cationic ytterbium and europium centres, *Chem. Commun.*, 1999, 1011-1012 (with A.S. Batsanov, A. Beeby, J.I. Bruce, J.A.K. Howard, and A.M. Kenwright).
214. Dependence of the relaxivity and luminescence of gadolinium and europium amino-acid complexes on hydrogencarbonate and pH, *Chem Commun.*, 1999, 1047-1048 (with S. Aime, M. Botta, J.A.K. Howard, R. Katakya, M.P. Lowe, J.M. Moloney and A.S. de Sousa).
215. Chiroptical features and luminescence behaviour of macrocyclic tetra (4-quinolyl) complexes: surprising absence of exciton coupling, *J.Chem. Soc., Perkin Trans 2*, 1999, 2415-2418 (with L.J. Govenlock, J.A.K. Howard, J.M. Moloney, R.D. Peacock, and G. Siligardi) .

2000

216. Luminescent lanthanide sensors for pH, pO₂ and selected anions, *Coord. Chem.Rev.*, 2000 , **205**, 109-131.
218. Luminescence imaging microscopy and lifetime mapping using kinetically stable lanthanide(III) complexes, *Photochem. Photobiol. B*, 2000, **57**, 83-90 (with A. Beeby, S. Botchway, I.M. Clarkson, S. Faulkner, A.W. Parker and J.A.G. Williams).
219. Detection of analytes by fluorescent lanthanide chelates; WO 99/46600; *US Pat. Appl.* 09/265,979 Filed March 11, 1999, granted Feb. 5, 2002 US Pat. No: 6,344,360. (with A.V. Nikolaitchick, E.F. Ullman, A.G. Kalivretenos, G.Y. Daniloff and A.E. Colvin).
220. Porphyrin sensitisation of circularly polarised near-IR lanthanide luminescence: enhanced emission with nucleic acid binding, *Chem. Commun.*, 2000, 1183-1184 (with A. Beeby, R.S. Dickins, S. Fitzgerald, L.J. Govenlock, C.L. Maupin, J.P. Riehl, G. Siligardi and J.A.G. Williams).
221. Luminescent molecular logic gates: the two-input inhibit (INH) function, *Chem. Commun.*, 2000 , 93-94 (with T. Gunnlaugsson and D.A. McDonnaill).
222. Ternary Gd(III)L-HSA adducts: evidence for the replacement of inner sphere water molecules by coordinating groups of the protein. Implications for the design of contrast agents for MRI, *J. Biol. Inorg. Chem.*, 2000, **5**, 488-497 (with S. Aime, E. Gianolio, E. Terreno, R. Pagliarin, G.B. Giovenzana, M.P. Lowe, M. Sisti, G. Palmisano and M. Botta) .
223. Selective signalling of zinc ions by modulation of terbium luminescence, *Chem. Commun.*, 2000, 473-474 (with O. Reany and T. Gunnlaugsson).
224. Controllable pH modulation of lanthanide luminescence by intramolecular switching of hydration state, *Chem. Commun.*, 2000, 707-708 (with M. P. Lowe).
225. Conjugates of cyclodextrins with charged and neutral macrocyclic europium, terbium and gadolinium complexes; sensitised luminescence and relaxometric investigations and an example of supramolecular relaxivity enhancement, *J. Chem. Soc., Perkin*

- Trans.2*, 2000, 1329-1338 (with P. J. Skinner, A. Beeby, R.S. Dickins, S. Aime and M. Botta).
226. Experimental assessment of the efficacy of sensitised emission in water from a europium ion, following intramolecular excitation by a phenanthridinyl group, *New J. Chem.*, 2000, 24, 377-386 (with I.M. Clarkson, A. Beeby, J.I. Bruce, L.J. Govenlock, M.P. Lowe, C.E. Mathieu and K. Senanayake).
227. A model system using modulation of lanthanide luminescence to signal Zn²⁺ in competitive aqueous media, (with O. Reany, and T. Gunnlaugsson), *J. Chem. Soc. Perkin Trans.2*, 2000, 1819-1831.
228. Effect of axial ligation on the magnetic and electronic properties of lanthanide complexes of octadentate ligands, *J. Am. Chem. Soc.*, 2000, **122**, 9257-9264 (with L. de Bari, G. Pintacuda, R.S. Dickins and P. Salvadori).
229. The measurement of circular polarisation in the near-IR luminescence from chiral complexes of Yb(III) and Nd(III), *J. Phys.Chem A*, 2000 , **104**, 6709-6718 (with C.L. Maupin, R.S. Dickins, L.G. Govenlock, C.E. Mathieu, J.A.G. Williams and J.P. Riehl).
230. The selectivity of reversible oxy-anion binding in aqueous solution at a europium and terbium centre; signalling of carbonate chelation by changes in the form and circular polarisation of luminescence emission, *J. Am. Chem. Soc.*, 2000, **122**, 9674-9684 (with J.I. Bruce, R.S. Dickins, T. Gunnlaugsson, S. Lopinski, M.P. Lowe, R.D. Peacock , J.J.B. Perry, S. Aime and M. Botta).
- *231. Correlation of water exchange rate with isomeric composition in diastereoisomeric gadolinium complexes of tetra(carboxyethyl)dota and related macrocyclic ligands, *J. Am. Chem. Soc.*, 2000, **122**, 9781-9792 (with M. Woods, S. Aime, M. Botta, J.A.K. Howard, J.M. Moloney, M. Navet, M. Port and O. Rousseaux); doi: 10.1021/ja994492v.
- 2001**
232. Photophysical aspects of lanthanide(III) complexes, in ‘*The Chemistry of Contrast Agents for Medical Magnetic Resonance Imaging*’, eds. A.E. Merbach and E. Toth, Wiley, London , 2001, chapter 11, pages 436-461 (with J.I. Bruce and M.P. Lowe).
233. Modulation of the water exchange rate in [GdDO3A] by formation of ternary complexes with carboxylate ligands, *Chem. Commun.*, 2001, 115-117 (with S. Aime, M. Botta, J.I. Bruce, V. Mainero and E. Terreno).
234. pH Switched sensitisation of Eu(III) by a dansyl group, *Inorg. Chim. Acta*, 2001, **317**, 163-173 (with M.P. Lowe)
- *235. pH Dependent modulation of relaxivity in macrocyclic gadolinium complexes based on reversible intramolecular sulfonamide ligation, *J. Am. Chem. Soc.*, 2001 **123**, 7601-7609 (with Mark P. Lowe, Ofer Reany, Silvio Aime, Mauro Botta, Giancarlo Castellano and Eliana Gianolio); doi: 10.1021/ja0103647.

236. Circularly polarized luminescence and structural studies of a dysprosium(III) complex with an octadentate macrocyclic ligand bearing benzylphosphinate groups, (with R.L. Luck, C.L. Maupin, D. Parker, J.P. Riehl, J.A.G. Williams), *Inorg. Chim. Acta*, 2001, **317**/1-2, 331-337.
237. Chiroptical, ESMS and NMR spectroscopic study of the interaction of enantiopure lanthanide complexes with selected self-complementary dodecamer oligonucleotides, (with G. Bobba, R.S. Dickins, S.D. Kean, C.E. Mathieu, D. Parker, R.D. Peacock, G. Siligardi, M.J. Smith, J.A.G. Williams and C.F.G.C. Geraldès), *J. Chem. Soc., Perkin Trans. 2*, 2001, 1729-1737.
238. DNA Binding studies of cationic lanthanide complexes bearing a phenanthridinium group, (with G. Bobba, S.D. Kean, A. Beeby and G. Baker), *J. Chem. Soc., Perkin Trans. 2*, 2001 1738-1741.
239. Experimental assessment of lanthanide ion donor preference: spectroscopic and theoretical dissection of static charge and dynamic polarisation contributions to axial ligation in a C-4 symmetric chiral europium complex, (with J.I. Bruce and D.J. Tozer), *Chem. Commun.* 2001 , 2250-2251.
240. Sensitised luminescence from phenanthridine appended lanthanide complexes: analysis of triplet mediated energy transfer processes in terbium, europium and neodymium complexes, (with S. Faulkner, A. Beeby and J.A.G. Williams) *J. Chem. Soc., Perkin Trans 2*, 2001 , 1268-1273.
241. Optical pH sensors based on luminescent europium and terbium complexes immobilised in a sol-gel glass, (with S. Blair, M.P. Lowe, C.E. Mathieu, P.K. Senanayake and R. Kataký), *Inorg. Chem.*, 2001, **40**, 5860-5867.
242. Towards the rational design of fast water exchanging Gd(DOTA-like) contrast agents? Importance of the M/m ratio, *Chem. Eur. J.*, 2001, **7**, 5160-5167 (with F. Dunand, R.S. Dickins and A.E. Merbach).
243. Lanthanide macrocyclic quinolyl conjugates as luminescent molecular-level devices' *J. Am. Chem. Soc.*, 2001, **123**, 12866-12876 (with T. Gunnlaugsson and D.A. MacDónaill).
244. A stable, high relaxivity diaqua-gadolinium complex that suppresses anion and protein binding', *Chem. Commun.*, 2001, 2742-3 (with D. Messeri, M P. Lowe and M. Botta).
245. A preparative and solution study of a modified beta-cyclodextrin and its europium(III) complex, and their interactions with racemic amino acid anions, *Aus. J. Chem.*, 2001, **54** (8), 535-539 (with S.D. Kean, C.J. Easton and S.F. Lincoln).

2002

246. Sol gel immobilised terbium complexes for luminescence sensing of dissolved oxygen in aqueous solution by analysis of lanthanide emission decay, *New J. Chem.*, 2002, **26**, 530-535, (with S. Blair, K. Senanayake and R. Kataký).

247. Highly emissive, nine-coordinate enantiopure lanthanide complexes incorporating tetraazatriphenylenes as probes for DNA, *Chem. Commun.*, 2002, 890-891, (with G. Bobba and J-C. Frias).
248. Controlling the variation of axial water exchange rates in macrocyclic lanthanide(III) complexes, *Chem. Commun.*, 2002, 1120-1121 (with S. Aime, A.S. Batsanov, A. Barge, M. Botta, D.D. Castelli, F. Fedeli, A. Mortillaro and H. Puschmann)
249. Survey of factors determining the circularly polarised luminescence of macrocyclic lanthanide complexes in solution (with J.I. Bruce, R.D. Peacock and S. Lopinski), *Chirality*, 2002, **14**, 562-567.
250. Being excited by lanthanide coordination chemistry: aqua species, chirality, excited state chemistry and exchange dynamic', (with R.S. Dickins, C. Crossland, J.A.K. Howard and H. Puschmann), *Chem. Rev.*, 2002, **102**, 1977-2010.
251. Ratiometric probes for hydrogencarbonate analysis in intracellular or extracellular environments using europium luminescence, *Chem. Commun.*, 2002, 1930-1931 (with Y. Bretonniere, R. Slater and M.J. Cann).
252. Synthesis and physicochemical characterisation of 1,4,7,10-tetra(2-glutaryl)-1,4,7,10-tetraazacyclododecane lanthanide complexes, *Acad. Radiol.*, 2002, **9**, S300-S303 (with M. Port, O. Rousseaux, I. Raynal, M. Woods, J. Moreau, J. Rimbault, J-C. Pierard and M. Aplincourt).
- *253. Structural, luminescence and NMR studies of the reversible binding of acetate, lactate, citrate and selected amino-acids to chiral di-aqua ytterbium and europium complexes', *J. Am. Chem. Soc.*, 2002, **124**, 12697-12705 (with R.S. Dickins, J.A.K. Howard, A.S. Batsanov, M. Botta, J.I. Bruce, C.S. Love, R.D. Peacock, and H. Puschmann): doi: 10.1021/ja020836x.

2003

254. Responsive luminescent lanthanide complexes, (with J.A.G. Williams), in "*Metal Ions in Biological Systems: The Lanthanides and their Interrelations with Biosystems*" eds., A. Sigel and H. Sigel, Marcel -Dekker, New York, chapter 7, 2003, 233-280.
255. Temperature and pressure dependence of excitation spectra as a probe of the solution structure and equilibrium thermodynamics of a Eu(III) complex containing a modified dota ligand, *J. Phys. Chem. A*, 2002, **106**, 12349-12356 (with G. Muller, S.D. Kean and J.P. Riehl).
256. Ternary complexes between cationic Gd(III) chelates and anionic metabolites in aqueous solution; an NMR relaxometric study, *Chem. Eur. J.*, 2003, **9**, 2102-2109 (with M. Botta, S. Aime, A. Barge, G. Bobba, R.S. Dickins, and E. Terreno).
257. Examination of cobalt, nickel, copper and zinc(II) complex geometry and binding affinity in aqueous media using simple pyridylsulfonamide ligands, *New J. Chem.*, 2003, **27**, 98-106, (with A. Congreve, H. Puschmann, R. Katakya, M. Knell and

L. Wylie).

258. Correlation of Optical and ^1H NMR Spectral Information with Coordination Variation for Axially Symmetric Europium and Ytterbium(III) Complexes: Importance of Axial Donor Polarisability in Determining Affinity and Ligand Field, *Dalton Trans.*, 2003, 1264-1271 (with R.S. Dickins, J.I. Bruce and D.J. Tozer).
259. Luminescent nonacoordinate cationic lanthanide complexes as potential cellular imaging and reactive probes, *Org. Biomol. Chem.*, 2003, **1**, 905-907 (with J-C Frias, G. Bobba, M.J. Cann and C.J. Hutchison).
260. The nature of the anion determines the rate of water exchange in a metal complex, *Chem. Commun.*, 2003 1386-1387 (with H. Puschmann, M. Botta and A. Barge).
261. Enantiopure lanthanide complexes incorporating a tetraazatriphenylene sensitiser and three naphthyl groups: exciton coupling, intramolecular energy transfer, efficient singlet oxygen formation and perturbation by DNA binding, *Org. Biomol. Chem.*, 2003, **1**, 1870-1872 (with G. Bobba, J.-C. Frias and Y. Bretonniere).
262. Structural Analysis of Nine-Coordinate Lanthanide Complexes: Steric Control of the Metal-Water Distance Across the Series, *Inorg. Chem.*, 2003, **42**, 8646-8651 (with Horst Puschmann, Andrei S. Batsanov and Kanthi Senanayake).

2004

263. Excitement in f block: structure, dynamics, and function of nine-coordinate chiral lanthanide complexes in aqueous media', *Chem. Soc. Rev.*, 2004, **33**, 156-165.
264. Aqueous solutions of uranium(VI) as studied by time-resolved emission spectroscopy: A round-robin test' *Appl. Spectrosc.*, 2003, **57** (8), 1027-1038 (with Billard I, Ansoborlo E, Apperson K, Arpigny S, Azenha M.E, Birch D, Bros P, Burrows HD, Choppin G, Couston L, Dubois V, Fanghanel T, Geipel G, Hubert S, Kim JI, Kimura T, Klenze R, Kronenberg A, Kumke M, Lagarde G, Lamarque G, Lis S, Madic C, Meinrath G, Moulin C, Nagaishi R, Planque G, Scherbaum F, Simoni E, Sinkov S, Viallesoubranne C).
265. Luminescent lanthanide complexes as sensors and imaging probes in *Molecular Imaging*, Ernst Schering Research Foundation, Springer, Berlin, 2004, chapter 7, pp 123-143.
266. Structural and NMR investigations of the ternary adducts of twenty alpha amino-acids and selected dipeptides with a chiral, diaqua-ytterbium complex, *Dalton Trans.*, 2004, 70-80 (with R.S. Dickins, A.S. Batsanov, J.A.K. Howard, H. Puschmann and S. Salamano).
267. Chemoselective signalling of selected phospho-anions using lanthanide luminescence,

- Chem. Commun.*, 2004, 438-439, (with Y. Bretonniere and P. Atkinson).
268. Design, synthesis and evaluation of ratiometric probes for hydrogencarbonate based on europium emission, *Org. Biomol. Chem.*, 2004, **2**, 1624-1632 (with Y. Bretonniere, M.J. Cann and R. Slater).
269. NMR and chiroptical examination of the diastereoisomers of (S)-Eu-EOB-DTPA, *Dalton Trans.*, 2004, 1892-1895 (with N.C. Thompson, H. Schmitt-Willich, D. Sulzle, G. Muller and J.P. Riehl).
270. Steric control of lanthanide hydration state: fast water exchange at gadolinium in a mono-amide 'DOTA' complex, *Dalton Trans.*, 2004 1441-1445 (with A. Congreve, E. Gianolio and M. Botta).
- 271.
- 2005**
272. Efficient relaxivity enhancement in dendritic gadolinium complexes; effective motional coupling in medium MW conjugates, *Chem. Commun.*, 2005, 474-476 (with D. Fulton, M. O'Halloran, K. Senanayake, M. Botta and S. Aime)
273. NMR and luminescence binding studies of ytterbium, thulium and europium macrocyclic complexes with phosphorus(V) oxyanions, *Helv. Chim. Acta*, 2005, **88**, 391-405 (with P. Atkinson, Y. Bretonniere and G. Muller)
274. Synthesis and characterisation of highly emissive and kinetically stable chiral lanthanide complexes suitable for usage in cellulose, *Org. Biomol. Chem.*, 2005, **3**, 1013-1024 (with R.A. Poole, G. Bobba, M.J. Cann, J-C Frias, and R. D. Peacock).
275. Signalling reversible anion binding in aqueous media, chapter 8 in *Contemporary Macrocyclic Chemistry: Current Trends and Future Perspectives* ed. K. Gloe, Springer, New York, 2005, 121-137 (with R. S. Dickins).
276. A pH-insensitive ratiometric chemosensor for citrate using europium luminescence, *Chem. Commun.*, 2005, 3141-3143 (with Junhua Yu).
276. Synthesis of a europium complex for anion-sensing involving regioselective substitution of cyclen, *Eur. J. Org. Chem.*, 2005, 4249-4252 (with Junhua Yu).
277. Responsive luminescent lanthanide complexes, International Patent Application No. PCT/GB2006/001718; US patent granted: 05.06.2012, US 08628978; US patent 8,193,174 (priority date May 11 2005; published November 11, 2006), EP 1885817 granted 14.04.2016, (with Junhua Yu and Robert Pal).

2006

278. A europium complex that selectively stains nucleoli of cells, *J. Am. Chem. Soc.*, 2006, **128**, 2294-2300 (with Junhua Yu, Robert Pal, Robert Poole and Martin J Cann).
279. Engineering emissive lanthanide complexes for molecular imaging and sensing, *Dalton Trans.*, 2006, 2757-2766 (with S. Pandya and J. Yu).
280. Luminescent lanthanide complexes, US Patent Application 60/683,377 (priority May 20 2005, published November 20 2006; with P. Atkinson, F. Kielar, A. Boge, G.G. Yi, E. Gaudet and J.R. Sportsman).
281. Luminescent lanthanide complexes PCT Patent Application: PCT/US2005/035215; WO 2006/039505 A2 (published 13.04.06, with P. Atkinson, F. Kielar, A. Boge, G. G. Yi, E. Gaudet and J.R. Sportsman).
282. Luminescent lanthanide complexes, US Patent 7,517,701 B2 (October 14, 2005, published April 14 2006, granted April 14 2009, with P. Atkinson, F. Kielar, A. Boge, G.G. Yi, E. Gaudet and J.R. Sportsman).
283. Azaxanthenes and azathioxanthenes as sensitizers for europium and terbium luminescence, *Org. Biomol. Chem.*, 2006, **4**, 1707-1722 (with P.A. Atkinson, K.S. Findlay, F. Kielar, R. Pal, R.A. Poole, H. Puschmann, S.L. Richardson, P.A. Stenson, A.L. Thompson and J. Yu).
284. Glycoconjugates of gadolinium complexes for MRI applications, *Chem. Commun.*, 2006, 1064-1066 (D. Parker, D.A. Fulton, E.M. Elemento, S. Aime, and M. Botta).
285. On the role of the counterion in defining local water structure and dynamics: order, structure and dynamics in hydrophobic and hydrophilic gadolinium salt complexes, *Dalton Trans.*, 2006, 5605-5616 (with A.L. Thompson, S. Aime, S. Avedano, A. Badari, M. Botta, D.A. Fulton, J.A.K. Howard, S. Pandya, H. Puschmann and P.A. Stenson).
286. Structural characterisation of a diprotonated lanthanide complex- an intermediate in lanthanide association and dissociation pathways, *Dalton Trans.*, 2006, 3291-3293 (with P.A. Stenson and A.L. Thompson).
287. Contrast agents endowed with high relaxivity for use in Magnetic Resonance Imaging, International Patent Application WO2006/002874 (published 12 January 2006; priority July 2 2004 (with S. Aime, M. Galli, L. Lattuada, P. Morosini, F. Uggeri, R. Kondareddiar).
288. A cationic lanthanide complex binds selectively to phosphorylated tyrosine sites, aiding NMR analysis of the phosphorylated insulin receptor peptide, *Org. Biomol.*

- Chem.*, 2006, **4**, 3166-3171 (with P. Atkinson and B.S. Murray).
289. A luminescence enzyme-free assay for uric acid in urine and serum, *UK Pat. Appl.*, 0613823.4 2006, priority date July 12, 2006, published as PCT/GB2007/002592 and (January 17, 2008) *Int. Pat. No.* WO2008/007089 A1 ; EP 2041571 B1 granted 15.10.2010; US patent 8,501,398, granted 06.08.13 (with R.A. Poole and F. Kielar).
- *290. A ratiometric and non-enzymatic luminescence assay for uric acid; differential quenching of lanthanide excited states by anti-oxidants, *Chem. Commun.*, 2006, 4084-6 (with R.A. Poole, F. Kielar, S.L. Richardson and P.A. Stenson); doi: 10.1039/611259e.
291. Synthesis and characterisation of dimeric eight-coordinate lanthanide(III) complexes of a macrocyclic tribenzylphosphinate ligand, *Dalton Trans.*, 2006, 5423-5428 (with A.L. Thompson, P.K. Senanayake, J.A.K. Howard and M. Botta).
- 2007**
292. Asymmetric catalysis of the Henry reaction by a chiral macrocyclic ytterbium complex in aqueous media, *Org. Biomol. Chem.*, 2007, **5**, 3842-3846 (with S.U. Pandya and R.S. Dickins).
293. A single component ratiometric pH probe with long wavelength excitation of europium emission, *Chem. Commun.*, 2007, 474-476 (with R. Pal).
294. Responsive fluorinated lanthanide probes for magnetic resonance spectroscopy, *Chem. Commun.*, 2007, 2923-2925 (with P.K. Senanayake, A.M. Kenwright, and S. K. van der Hoorn).
295. Identification of emissive lanthanide complexes suitable for cellular imaging that resist quenching by endogenous anti-oxidants, *Org. Biomol. Chem.*, 2007, **5**, 2055-2062 (with R.A. Poole, C.P. Montgomery, E.J. New and A. Congreve).
296. Lanthanide Probes, UK PCT 0708411.4, priority date: May 1 2007; EP 2148881 A0 (03.02.2010; US 2008/0021765 A1, 27.01.2011) (with P.K. Senanayake).
297. Two-photon absorption and photoluminescence of europium-based emissive probes for bioactive systems, *Dalton Trans.* 2007, 5726-5734 (with L-O. Palsson, B.S. Murray, R. Pal and A. Beeby).
298. Effective and efficient sensitisation of terbium luminescence at 355nm with cell permeable pyrazoyl-1-azaxanthone macrocyclic complexes, *Chem. Commun.*, 2007, 3841-3 (with C.P. Montgomery and L. Lamarque).
299. A mechanistic study of the quenching of the excited state of Eu(III) and Tb(III) macrocyclic complexes by charge or electron transfer, *Org. Biomol. Chem.*, **5**, 2007,

2975-2982 (with F. Kielar, C.P. Montgomery, E.J. New, R.A. Poole, S.L. Richardson and P.A. Stenson).

300. Synthesis and Characterization of Lanthanide Complexes of DO3A-Alkylphosphonates, *Dalton Trans.*, 2007, 5260-5267 (with A. Mishra, N. Logothetis, I. Mamedov, H. Mayer, L-O. Palsson and G. Angelovski).
301. Lanthanide(III) ion complexing compounds, luminescent lanthanide(III) ion complexes and use thereof as fluorescent labels, *UK Pat. Appl.*, GB 0713963.7 priority July 18 2007, PCT /EP/059444; WO 2009/010580/A1; (with L. Lamarque and C.P. Montgomery).

2008

302. A ratiometric optical imaging probe for intracellular pH based on modulation of europium emission, *Org Biomol. Chem.*, 2008, **6**, 1020-1033 (with R. Pal).
303. Two photon microscopy study of the intracellular compartmentalisation of selected emissive terbium complexes and their oligoarginine and oligoguanidinium conjugates, *Chem. Commun.*, 2008, 2435-2437, (with F. Kielar, A. Congreve, G. Law, E. J. New, K-L. Wong, P. Castreno and J. de Mendoza).
304. Critical evaluation of five emissive europium(III) complexes as optical probes: correlation of cytotoxicity, anion and protein affinity with complex structure, stability and intracellular localisation profile, *Org Biomol. Chem.*, 2008, **6**, 2085-2094 (with B.S. Murray, E.J. New, R. Pal).
305. ¹⁹F NMR based pH probes: lanthanide(III) complexes with pH sensitive chemical shifts, *Chem. Commun.*, 2008, 2514-2516 (with A.M. Kenwright, P.K. Senanayake, D.G. Smith, E. De Luca and I. Kuprov).
306. The nature of the sensitiser substituent determines quenching sensitivity and protein affinity and influences the design of emissive lanthanide complexes as optical probes for intracellular use, *Org. Biomol. Chem.*, 2008, **6**, 2256-2258, (with F. Kielar, E.J. New and G-L. Law).
307. Enantioselective regulation of a metal complex by protein binding: dynamic helicity inversion signalled by circularly polarised luminescence, *Chem. Commun.*, 2008, 4261-4263, (with C.P. Montgomery, E.J. New and R.D. Peacock); doi:10.1039/b81978h.

2009

308. Electron-capture dissociation and collision-induced dissociation of lanthanide metal-ligand complexes and lanthanide metal-ligand complexes bound to phosphopeptides, *Eur. J. Mass Spec.*, 2009, **15**, 145-155 (with J.A. Mosely and B.S. Murray).
309. Variation of water exchange dynamics with ligand structure and stereochemistry in lanthanide complexes based on 1,4-diazepine derivatives, *Org. Biomol. Chem.* 2009, **7**, 1120-1131 (with E.M. Elemento, E. Gianolio, S. Aime and L. Lattuada).

310. Cell penetrating metal complexes as optical probes: a mechanistic approach to targeted responsive systems based on lanthanide luminescence, *Acc. Chem. Res.* 2009, **42**, 925-937, (with C.P. Montgomery, B.S. Murray, E.J. New and R. Pal).
311. Comparative study of the constitution and chiroptical properties of emissive lanthanide complexes with a common tetraazatriphenylene sensitiser: the nature of the sensitiser determines quenching sensitivity and cellular uptake, *Dalton Trans.* 2009, 672-679 (with E.J. New and R.D. Peacock).
312. The mechanism of cell uptake of luminescent lanthanide optical probes: the role of macropinocytosis and the effect of enhanced membrane permeability on compartmentalisation, *Org. Biomol. Chem.* 2009, **7**, 851-855, (with E.J. New).
313. A europium luminescence assay of lactate and citrate in biological fluids, *Org. Biomol. Chem.* 2009, **7**, 1525-1528 (with R. Pal and L.C. Costello).
314. Lanthanide (III) ion complexing compounds, luminescent lanthanide (III) ion complexes and use thereof as fluorescent labels, *UK Pat. Appl.* 2009, GB 0900913.5 (priority January 20 2009), (with L. Lamarque and C.P. Montgomery).
315. Lactate and citrate probes, PCT/GB2010/000147; WO 2010/086615 A1; EP 2391610 A0 and US 2011/0287558A1 (priority 30 January 2009), (with R. Pal); lactate divisional application: US Patent 9448225, granted 20.09.16; expires 15.11.30.
316. Emissive and cell permeable pyridyl and pyrazoyl-1-azaxanthone lanthanide complexes and their behaviour in cellulose, *Helv. Chim. Acta*, 2009, **92**, 2186-2213 (with C.P. Montgomery, E.J. New, L. O. Palsson, A.S Batsanov and L. Lamarque).
317. The mechanism of quenching of the lanthanide excited state for optical probes using sensitised emission, *Dalton Trans.* 2009, 8481-8484 (with G-L Law, S.L. Richardson and K-L. Wong).
318. Responsive and reactive terbium complexes with an azaxanthone sensitiser and one naphthyl group: applications in ratiometric oxygen sensing in vitro and in regioselective cell killing, *Chem. Commun.*, 2009, 7321-3 (with G-L Law, R. Pal, L-O. Palsson, and K-L. Wong).

2010

- *319. Paramagnetic fluorine labelled lanthanide complexes as probes for ¹⁹F magnetic resonance imaging and spectroscopy, *Chem. Eur. J.* 2010, **16**, 134-148; doi: 10.1002/chem.200902300 (with K.H. Chalmers, E. De Luca, A.M. Kenwright, N.H.M. Hogg, I. Kuprov, J.I. Wilson M. Botta and A.M. Blamire).
320. Development of responsive lanthanide probes for cellular applications *Curr. Opin. Chem. Biol.* 2010, **14**, 238-246 (with E.J. New, D.G. Smith and J.W. Walton).
321. Observation of the selective staining of chromosomal DNA in dividing cells using a luminescent terbium(III) complex, *Chem Commun.* 2010, **46**, 2391-2393 (with

G-L Law, C. Man and J.W. Walton).

322. Definition of the uptake mechanism and sub-cellular localisation profile of emissive lanthanide complexes as cellular optical probes, *Chem. Sci.* 2010, **1**, 111-117 (with E.J. New and A. Congreve).
323. Synthesis, chirality and complexation phenomena of two diastereoisomeric dinuclear lanthanide complexes, *Eur. J. Inorg. Chem.* 2010, 2663-2672 (with B.S. Murray, R.D. Peacock, and C.M.G. dos Santos).
324. Comparative study of the luminescence properties and relative stability of a series of europium (III) complexes bearing one to four azaxanthone groups, *Eur. J. Inorg. Chem.* 2010, 3691-3696 (with J.W. Walton, L. Lamarque and J. Zwier).
325. Synthesis and comparative anion binding properties of two di-aqua europium(III) complexes, *Dalton Trans.* 2010, **39**, 9897-9903 (with D. Imperio, G.B. Giovenzana, G-L Law, and J.W. Walton).

2011

326. Critical in vitro evaluation of responsive MRI contrast agents for calcium and zinc, *Chem. Eur. J.* 2011, **17**, 1529-1537 (with A. Mishra and N.K. Logothetis).
327. Strategies to enhance signal intensity with paramagnetic fluorine-labelled lanthanide complexes as probes for ¹⁹F magnetic resonance, *Dalton Trans.* 2011, **40**, 904-913 (with K.H. Chalmers and M. Botta).
328. Critical design factors for optical imaging with metal coordination complexes, *Aus. J. Chem.* 2011, **64**, 239-243.
329. Rapid and accurate analysis of citrate in low-volume seminal fluid samples using a time-gated and ratiometric measurement of europium luminescence, *J. Pharmaceut. Biomed. Anal.* 2011, **56**, 352-358 (with R. Pal and A. Beeby).
330. Investigation of ¹⁹F lanthanide complexes with increased sensitivity for in vivo ¹⁹F MRI; optimisation of MR, *Magn. Reson. Med.*, 2011, **66**, 931-936 (with K.H. Chalmers, A.M. Kenwright and A.M. Blamire).
331. Enantioselective binding of a lanthanide(III) complex to human serum albumin studied by ¹H NMR STD techniques, *Org. Biomol. Chem.*, 2011, **9**, 5047-5050 (with D.M. Dias, J.M.C. Teixeira, I. Kuprov, E.J. New and C.F.G.C. Geraldes).
332. Evidence for the optical signalling of changes in bicarbonate concentration within the mitochondrial region of living cells, *Chem. Commun.* 2011, **47**, 7347-7349, (with D.G. Smith, G.L. Law, R. Pal, and K-L. Wong).
333. Structure, resolution and chiroptical analysis of stable lanthanide complexes of a pyridylphenylphosphinate triazacyclononane ligand, *Chem. Commun.* 2011 **47**, 12289-12291 (with J. W. Walton, L. Di Bari, G. Pescitelli, H. Puschmann and D.S. Yufit): doi:10.1039/c1cc14904k .
- 334.* Responsive Imaging Probes for mGluR₅ Receptors, *Chem. Sci.* 2012, **3**, 131-135

doi:10.1039/C1SC00418B (with A. Mishra, J. Engelmann and S. Gottschalk).

335. Lanthanide complexes as paramagnetic probes for ¹⁹F magnetic resonance, *Eur. J. Inorg. Chem.* 2012, **18**, 2015-2022; doi 10.1002/ejic.201100894 (with P. Harvey and I Kuprov).
336. New substituted triazole compounds, useful as complexing agents for marking and detecting biological molecules, of e.g. proteins or antibodies, by time-resolved fluorescence techniques and analyzing blood samples in field of diagnostics, *French Pat.Appl.* No. 1000118536, priority July 18 2011, published January 24 2013; **WO 2013/011236**, FR 2978149A1 (with L. Lamarque, J. Zwier, O. Maury, J. W. Walton, A Bourdolle).

2012

337. A chiral probe for alpha-acid glycoprotein and alpha-1-antitrypsin based on europium luminescence, *Dalton Trans* 2012, **41**, 13154-13158 (with R. Carr, L. Di Bari, S. Lo Piano, R. D. Peacock and J. M. Sanderson): DOI:10.1039/C2DT30143A.
338. Isostructural series of chiral nine-coordinate lanthanide complexes based on triazacyclononane, *Inorg. Chem.* 2012, **51**, 8042-8056 (with J. W. Walton, R. Carr, N. H. Evans, A. M. Funk, A. M. Kenwright, D. S. Yufit, M. Botta, S. De Pinto, K-L. Wong). doi.org/10.1021/ic300147p.
339. Paramagnetic ¹⁹F chemical shift probes that respond selectively to calcium or citrate levels and signal ester hydrolysis *Chem. Eur. J.* 2012, **18**, 8748-8757 doi: 10.1002/chem.201200737 (with P. Harvey, A. Mishra, K. H. Chalmers and E. De Luca).
- *340. Measuring equilibrium bicarbonate concentrations directly in cellular mitochondria and in human serum using europium/terbium emission intensity ratios, *Chem. Eur. J.*, 2012, **18**, 11604-11613 (with D. G. Smith and R. Pal). DOI 10.1002/chem.201201738.
341. Live cell imaging of lysosomal pH changes with responsive ratiometric lanthanide probes, *Chem. Commun.* 2012, **48**, 8520-8522 (with D. G. Smith, B. K. McMahon and R. Pal); DOI: 10.1039/c2cc34267g.
342. Luminescence and up-conversion from thulium (III) species in solution, *Phys. Chem. Chem. Phys.*, 2012, **13**, 13378-13384 (with O. Blackburn, M. Tropicano, T. Sorensen, J. Thom, A. Beeby, L. Bushby, L. Natrajan and S. Faulkner); DOI:10.1039/C2CP42228J.
343. Lanthanide complexes as chiral probes exploiting circularly polarised luminescence,

Chem. Soc. Rev., 2012, **41**, 7673-7686 (with R. Carr, N. H. Evans).
doi:10.1039/C2CS35242G.

2013

- *344. Very bright europium complexes that stain cellular mitochondria, *Chem. Commun.* 2013, **49**, 1600-1602 (with J. W. Walton, M. Soulie, A. Bourdolle, S. J. Butler, M. Delbianco, L. Lamarque, C. Andraud O. Maury, B. K. McMahon, R. Pal, H. Puschmann, J. M. Zwier). DOI:10.1039/C2CC35247H
345. Boosting ¹⁹F MRI - SNR-efficient detection of paramagnetic contrast agents using ultra-fast sequences, *Magn Reson Med.*, 2013, **69**, 1056-1062 (with F. Schmid, C. Holtke and C. Faber) doi:10.1002/mrm.24341.
346. Anion binding in water at lanthanide centres: from structure and selectivity to signalling and sensing, *Chem. Soc. Rev.* 2013, **42**, 1652-1666, (with S. J. Butler); DOI:10.1039/C2CS35144G.
347. Experimental measurement and theoretical assessment of fast lanthanide electronic relaxation in solution with four series of isostructural complexes, *J. Phys. Chem.A* 2013, **117** (5) 905-917 (with A. M. Funk, P. H. Fries, P. Harvey and A. M. Kenwright).
348. Structure and stability of hexadentate complexes of ligands based on AAZTA for efficient PET labeling with gallium-68, B. P. Waldron, D. Parker, D. S. Yufit, M. Zimny and F. Roesch, *Chem Commun*, 2013, **49**, 579-581. DOI:10.1039/C2CC37544C
349. Comparative In Vitro Studies of MR Imaging Probes for Metabotropic Glutamate Subtype-5 Receptor Targeting, *Org. Biomol. Chem.* 2013, **11**, 6131-6141 (with S Gottschalk, J. Engelmann, G. Rolla, M. Botta and A. Mishra). DOI:10.1039/C3OB41297K
350. Conformational analysis and synthetic approaches to polydentate perhydrodiazepine ligands for the complexation of gallium(III), *Org Biomol. Chem.* 2013,**11**,2827-2838 (with B. P. Waldron), DOI:10.1039/C3OB40287H.
351. Bright europium mono-aqua complexes based on triazacyclononane that bind anions reversibly and permeate cells effectively, *Chem. Eur. J.* 2013, **19**, 9511-9517 (with S. J. Butler, B. K. McMahon, R. Pal, J. W. Walton). DOI: 10.1002/chem.201301273.
352. Crystallographic and solution NMR structural analyses of four hexa-coordinated gallium(III) complexes based on ligands derived from 6-amino-perhydro-1,4-

- diazepine, *Dalton Trans.* **42**, 2013, 8001-8008 (with B. P. Waldron and D. S. Yufit) , DOI:10.1039/C3DT50287B.
353. A bright and responsive europium probe for determination of pH change within the endoplasmic reticulum, *Chem. Commun.*, 2013, **49**, 5363-5365 (with B. K. McMahon and R. Pal). DOI:10.1039/C3CC42308E
354. Responsive MR-imaging probes for NMDA receptors and the direct visualisation of the cell-surface receptors by optical microscopy, *Chem. Sci*, 2013, **4**, 3148-3153 (with N Sim, A. Mishra, J. Engelmann, R. Pal, S. Gottschalk). DOI:10.1039/C3SC50903F
355. Moving the goal posts: enhancing the sensitivity of PARASHIFT proton magnetic resonance imaging and spectroscopy, *Chem Sci*, 2013, **4**, 4251-4258, (with P. Harvey, A.M. Blamire, J. I. Wilson, K-L. N. A. Finney, A. M. Funk, P. K. Senanayake). DOI:10.1039/C3SC51526E
356. Bifunctional chelating agents based on the 1,4-diazepine scaffold for non-invasive molecular imaging, *German patent application*, priority: June 11 2013; PCT/EP 2014/059874; WO 2014/198478A2; published 18.12.14 ; US patent published May 19 2016, US2016/0136309A1 (with B.P. Waldron and F. Roesch).
357. Direct and selective tagging of Cys residues in peptides and proteins with coordinated 4-nitropyridyl lanthanide complexes, *Chem. Commun.* 2013, **49**, 9104-9106 (with S..J Butler, K.L. Gempf and A.M. Funk). DOI:10.1039/C3CC45875J
358. Complete stereocontrol in the synthesis of macrocyclic lanthanide complexes: direct formation of enantiopure systems for circularly polarised luminescence applications, *Dalton Trans.* 2013, **42**, 15610-15616 (with N. H. Evans, R Carr, M. Delbianco, R Pal and D.S. Yufit). DOI:10.1039/C3DT52425F
- 2014**
359. Characterisation and evaluation of paramagnetic fluorine labelled glycol chitosan conjugates for ¹⁹F and ¹H magnetic resonance imaging, *J. Biol. Inorg. Chem.* 2014, **19** (2), 215-227, (with Elena De Luca, Peter Harvey, Kirsten H. Chalmers, Anurag Mishra, P. Kanthi Senanayake, J Ian Wilson, Mauro Botta, Marianna Fekete, Andrew M. Blamire). DOI: 10.1007/s00775-013-1028-y.
- *360. EuroTracker dyes: highly emissive europium complexes as alternative organelle stains for live cell imaging, *Chem. Sci.*, 2014, **5**, (5) 1750-1756 (with S. J. Butler, L. Lamarque and R. Pal). DOI:10.1039/C3SC53056F
361. Microscopic visualisation of metabotropic glutamate receptors on the surface of living cells using bifunctional magnetic resonance imaging probes, *ACS Chem. Neurosci.*

- 2014, **5**, 128-137 (with Anurag Mishra, Ritu Mishra, Sven Gottschalk, Robert Pal, Neil Sim, Martin Goldberg, Joern Engelmann). DOI:10.1021/cn400175m
362. Emissive europium complexes that stain the cell walls of healthy plant cells, pollen tubes and roots, *RSC Advances*, 2014, **4**, 9356-9366 (with A. J. Palmer, S. H. Ford, S. J. Butler, T. J. Hawkins, P. J. Hussey, R. Pal and J.W. Walton). DOI:10.1039/C3RA45426F.
363. Utility of tris(4-bromopyridyl) europium complexes as versatile intermediates in the divergent synthesis of emissive chiral probes, *Dalton Trans*, 2014, **43**, 5721-5730 (with Stephen J. Butler, Martina Delbianco, Nicholas H. Evans, Andrew T. Frawley, Robert Pal, Robert S. Puckrin and Dmitry S. Yufit). DOI:10.1039/C4DT00253A.
364. Synthesis, stereocontrol and structural studies of highly luminescent chiral tris-amide-pyridyltriazacyclononane lanthanide complexes, *Dalton Trans*, 2014, **43**, 5490-5504 (with Emily R. Neil, Alex M. Funk and Dmitry S. Yufit). DOI:10.1039/C3DT53000K
365. Induced circularly polarised luminescence arising from anion or protein binding to racemic emissive lanthanide complexes, *Methods Appl. Fluoresc.* 2014, **2**, 024007 (7 pages) (with Rachel Carr, Robert S Puckrin, Robert Pal, Brian K McMahon and Lars-O. Palsson). doi:10.1088/2050-6120/2/2/024007
366. Comparative analysis of conjugated alkynyl chromophore-triazacyclononane ligands for sensitized emission of europium and terbium, *Chemistry-Eur-J.* 2014, **20**, 8636-8646 (with Marine Soulie, Frederic Latzko, Emmanuel Bourrier, Virginie Placide, Stephen J Butler, Robert Pal, James W. Walton, Patrice L. Baldeck, Boris Le Guennic, Chantal Andraud, Jurriaan M. Zwier, Laurent Lamarque and Olivier Maury), DOI: 10.1002/chem.201402415.
- *367. Bright, highly water soluble triazacyclononane europium complexes to detect ligand binding with time-resolved FRET microscopy, *Angew. Chem. Int. Ed. Engl.*, 2014 **53**, 10718-10722 (with M. Delbianco, V. Sadovnikova, E. Bourrier, L. Lamarque, G Mathis and J. M. Zwier). DOI: 10.1002/anie.201406632.
368. Nouveaux agents complexants hydrosolubles et complexes de lanthanide correspondants, *World patent application*, WO 2014/111661 PCT/FR20 14/0500085, published July 24, 2014, (with L Lamarque, M. Delbianco and S.J. Butler).
369. Synthesis of *meta* and *para*-substituted aromatic sulphonate derivatives of polydentate phenylazaphosphinate ligands: enhancement of the water solubility of

- emissive europium (III) EuroTracker dyes, *Org. Biomol. Chem.* 2014, **12**, 8061-8071 (with M. Delbianco and L. Lamarque). DOI: 10.1039/c4ob01143k
370. Selective ion pair recognition in water of citrate AND zinc ions by ratiometric luminescence signalling, *RSC Advances* 2014, **4**, 37649-37654 (with B. K. McMahon). DOI: 10.1039/c4ra07894b.
371. Magnetic resonance and optical imaging probes for NMDA receptors on the cell surface of neurons: synthesis and evaluation in cellulose, *Org. Biomol. Chem.*, 2014, **12**, 9389-9404, (with N. Sim, R. Pal, A. Mishra and S. Gottschalk). DOI: 10.1039/C4OB01848F.
- 2015**
372. EuroTracker dyes: design, synthesis, structure and photophysical properties of very bright europium complexes and their use in bioassays and cellular optical imaging, *Dalton Trans.* 2015, **44**, 4791-4803 (with S. J. Butler, M. Delbianco, L. Lamarque, B.K. McMahon, E. R. Neil, R. Pal, J. W. Walton and J. M. Zwieter). DOI: 10.1039/c4dt02785j.
373. Optimizing the high-field relaxivity by self-assembling of macrocyclic Gd(III) complexes, *Dalton Trans.*, 2015, **44**, 4910-17 (with D. Lawson, A. Barge, E. Terreno and S. Aime). DOI: 10.1039/C4DT02971B.
374. Critical design features for the targeted molecular imaging of cell surface receptors, *Chem Soc. Rev.* 2015, **44**, 2122-2134 (with N. Sim), DOI: 10.1039/c4cs00364k.
- *375. Critical analysis of the limitations of Bleaney's theory of magnetic anisotropy in lanthanide coordination complexes, *Chem. Sci.*, 2015 **6**, 1655-1663 (with A. M. Funk, P. Harvey, K-L. N. A. Finney, A. M. Kenwright, E. R. Neil, N. J. Rogers and P. K. Senanayake). DOI: 10.1039/c4sc03429e
376. Challenging lanthanide relaxation theory: erbium and thulium complexes that show NMR relaxation rates faster than dysprosium and terbium analogues, *Phys. Chem. Chem. Phys.* 2015, **17**, 16507-16511 (with A. M. Funk, K-L. N. A. Finney, M. A. Fox, P. Harvey, N.J. Rogers and A. M. Kenwright). DOI: 10.1039/C5CP02210J
377. Approaching 'kit-type' labelling with ⁶⁸Ga: the DATA chelators, *ChemMedChem*, 2015, **10**, 1019-1026, (with J. Seemann, B. P. Waldron and F. Roesch). DOI: 10.1002/cmdc.201500092.
378. Switchable optoacoustic imaging probes to visualise N-methyl-D-aspartate receptors and measure glutamate fluctuations, *Chem Commun.*, 2015, **51**, 15149-15152 (with

N. Sim, S. Gottschalk, R. Pal, M. Delbianco, D. Razansky, G. G. Westmeyer, V. Ntziachristos and A. Mishra). DOI: 10.1039/C5CC06277B.

379. Chiral probe development for circularly polarised luminescence: comparative study of structural factors determining the degree of induced CPL with four heptacoordinate europium (III) complexes, *Dalton Trans.* 2015, **44**, 14937-14951 (with E. R. Neil, M. A. Fox, R. Pal, L-O. Palsson and B. A. O' Sullivan). DOI: 10.1039/C5DT02358K.

2016

380. Structural control of cell permeability with highly emissive europium(III) complexes permits different microscopy applications (with M. Starck and R. Pal), *Chem-Eur. J.* 2016, **22**, 570-580. DOI 10.1002/chem.201504103
381. Another challenge to paramagnetic relaxation theory: a study of paramagnetic proton NMR relaxation in closely related series of pyridine-derivatised dysprosium complexes (with N. J Rogers K-L N. A. Finney and P. K. Senanayake), *Phys. Chem. Chem. Phys.* 2016, **18**, 4370-4375. DOI: 10.1039/c5cp06755c
382. Electromagnetic susceptibility anisotropy and its importance for paramagnetic NMR and optical spectroscopy in lanthanide coordination chemistry, (with O. A. Blackburn, R. M. Edkins, S. Faulkner, A. M. Kenwright, N. J. Rogers, and S. Shuvaev), *Dalton Trans.*, 2016, **45**, 6782-6800. DOI: 10.1039/c6dt00227g
383. At the final frontier: kit-type labelling of TOC at ambient temperature in one minute, *EJNMMI Radiopharmacy and Chemistry* 2016, **1** (1) 1-12 (with J. Seemann, B. P. Waldron and F. Roesch) DOI: 10.1186/s41181-016-0007-3.
384. Induced europium CPL for the selective signalling of phosphorylated amino-acids and O-phosphorylated peptides, *Dalton Trans.* 2016, **45**, 8355-8366 (with E. R. Neil M. A. Fox and R Pal). DOI: 10.1039/C6DT01212D
385. 'Rare earth coordination chemistry in action: exploring the optical and magnetic properties of the lanthanides in bioscience whilst challenging current theories', in Jean-Claude Bünzli, Vitalij Pecharsky, editors: Handbook on the Physics and Chemistry of Rare Earths, Volume 50, HPCRE, UK: Elsevier, 2016, pp. 269-300.
386. Very bright enantiopure europium(III) complexes allow time-gated chiral image contrast, *Chem. Commun.* 2016, **52**, 13349-13352 (with A. T. Frawley and R. Pal). DOI: 10.1039/C6CC07313A.

2017

387. A New Paramagnetically Shifted Imaging Probe for MRI, *Magn. Reson. Med.* 2017, **77**, 1307-1317 (with P. K. Senanayake, N. J. Rogers, P. Harvey, K-L. N. A. Finney, A. M. Funk, J. I. Wilson, R. Maxwell and A. M. Blamire). DOI10.1002/mrm.26185.
388. PARASHIFT Probes: Solution NMR and X-ray structural studies of macrocyclic ytterbium and yttrium complexes, *Inorg. Chem.* 2017, **56**, 4028-4038, (with Kevin Mason Nicola J. Rogers, Elizaveta A. Suturina, Juan A. Aguilar ^a Andrei S. Batsanov, Dmitry S. Yufit. DOI: 10.1021/acs.inorgchem.6b02291.
389. Induced Europium Circularly Polarised Luminescence Monitors Reversible Drug Binding to Native α_1 -Acid Glycoprotein, *ChemMedChem.* 2017, **12**, 271-281 (with L. Jennings, R. S. Waters and R. Pal) doi.org/10.1002/cmdc.201600571.
390. Selective signalling of sialic acid in solution by circularly polarized luminescence spectroscopy using a dynamically racemic europium(III) complex, *RSC Advances*, 2017, **7**, 4531-4540 (with E. R. Neil). doi:10.1039/c6ra26662b
391. Simultaneous triple imaging with two PARASHIFT probes: encoding anatomical, pH and temperature information using magnetic resonance shift imaging, *Chem. Eur-J.* 2017, **23**, 7976-7989 (with K-L. N. A. Finney, A. C. Harnden, N. J. Rogers, P. K. Senanayake, A. M. Blamire, D. O'Hogain). doi.org/10.1002/chem.201700447
392. Responsive, Water Soluble Europium Luminescence Probes, *Chem-Eur. J.* 2017, **23**, 9974-9989 (with S. Shuvaev and M. Starck). doi.org/10.1002/chem.201700567.
393. Equilibrium, kinetic and structural properties of gallium(III)- and some divalent metal complexes formed with the new DATA^m and DATA^{5m} ligands, *Chem-Eur. J.* 2017, **23**, 10358-10371 (with E. Farkas, J. Nagel, A. Maiocchi, B. P. Waldron, I. Tóth, E. Brücher, F. Roesch and Z. Baranyai), doi: 10.1002/chem.201701508
394. Selectively switching on europium emission in drug site I of human serum albumin, *Chem. Commun.* 2017, **53**, 6724-6727 (with S. Shuvaev and R. Pal). DOI: 10.1039/C7CC03071A.
395. Beyond Bleaney's Theory: Experimental and Theoretical Analysis of Periodic Trends in Lanthanide Induced Chemical Shifts, *Angew. Chem. Int. Ed. Engl.* 2017, **56**, 12215-12218 (with E. A. Suturina, K. Mason, C. F. G. C. Geraldés and I. Kuprov). 10.1002/anie.201706931R1.
396. Rationalisation of non-classical paramagnetic NMR shifts in a series of C_3 symmetric lanthanide complexes, *J. Am. Chem. Soc.* 2017, **139**, 14166–14172, (with M. Vonci,

K. Mason, E. A. Sutura, A. T. Frawley, I. Kuprov, E. J. L. McInnes, N. F. Chilton), DOI:10.1021/jacs.7b07094.

397. Solvent polarity and oxygen sensitivity rather than viscosity determine emission lifetimes of biaryl-sensitised terbium complexes, *Chem. Commun.* 2018, **53**, 13344-13347 (with E. R. H. Walter and J. A. G. Williams), DOI: 10.1039/c7cc08361k.